



















SITE FURNITURE CATALOG • 2023

# TABLE OF CONTENTS

INTRODUCTION	1-3	BIKE RACKS	108-110
DUMOR COLLECTIONS	4-61	GRILLS & ASH URNS	111
Families of benches, receptacles, planters, and tables coordinated by matching style		BOLLARDS	112
POST MOUNT BENCHES	62-69	CUSTOM PLAQUES	113
Wood or recycled plastic park style benches		CUSTOM PRODUCTS	114-119
LITTER AND RECYCLING RECEPTACLES	70-81	SUSTAINABILITY COMMITMENT	120
CHAIRS AND TABLES	82-103	NUMERICAL PRODUCT INDEX	121
PLANTERS	106-107		

## DUMOR COLLECTIONS INDEX

 Benches: 490, 491, 492, 493, 494, 495, 496, 497, 498	6-11	 Benches: 282, 283, 284, 285, 446, 447	32-35	 Benches: 500, 501 Receptacle: 502	52-53
 Benches: 93, 95	12-13	 Benches: 160, 164, 165, 166, 168, 173	36-39	 Benches: 470, 471, 472, 473 Receptacle: 474 Table: 475	54-57
 Benches: 94, 117, 118 Receptacle: 17	14-17	 Benches: 190, 191 Receptacle: 429	40-41	 Benches: 59, 104 Receptacle: 89	58-59
 Benches: 19, 57, 58, 91, 92, 106 Receptacles: 102, 124 Table: 443 Planter: 122	18-23	 Benches: 185, 186, 194, 195 Receptacles: 196, 187	42-45	 Benches: 520, 521, 522, 523, R520, R521, 528, WR520, WR521, W520, W521, W522, W523, 524 Table: 525	60-61
 Benches: 140, 143,144, 162 Receptacles: 148, 152	24-29	 Benches: 505, 506, 507	46-49		
 Benches: 119, 120	30-31	 Benches: 270, 271 Receptacle: 272	50-51		

# COLOR AND MATERIAL OPTIONS

## POWDER COAT COLOR OPTIONS

Most DuMor products are available in your choice of several color options in a super durable baked-on polyester powder finish.



Additional RAL colors are available at an extra cost—consult your local DuMor Representative.

## WOOD



DuMor has selected the highest grade woods available for use on our products. "C" & Better Douglas Fir and Ipe are offered as standard wood options. Douglas Fir will be delivered coated in a clear preservative. Due to its density and estimated longevity, left uncoated, Ipe will be delivered in its natural state without preservative. Thermally Modified Red Oak utilizes a specialized process where the wood is heated (using steam) to a very high temperature to transform it on a molecular level into a highly-durable outdoor material. With thermal modification the lumber undergoes a fundamental change – where the sugars and starches caramelize making the wood a non-food source and the wood cell walls lock into place preventing the wood from absorbing water like that of unmodified wood. As a natural product of our environment, wood will weather when placed outdoors. Signs of weathering include splitting, checking, and changing color. These are not covered by DuMor's warranty. Wood colors will vary.

## RECYCLED PLASTIC



The high-density polyethylene raw material utilized in our recycled plastic furnishings is derived from post-consumer bottle waste resulting in a product that is over 90% recycled.

## WOOD GRAIN RECYCLED PLASTIC



The longevity and Eco-friendliness of recycled plastic lumber with a feel and depth reminiscent of wood. Wood grain recycled plastic is extruded with a multicolor tonal streaking and etched with a wood grain texture to achieve a realistic wood like appearance and feel. To truly appreciate this product it needs to be seen and handled, ask your Rep for a free sample. Plastic lumber is comprised of 95% recycled content. Only available on select products.

Please note that due to variations in photographic reproductions, natural wood grains and colors shown throughout may not be exact.  
Please contact your local DuMor Representative for color and material samples.

# THE DUMOR DIFFERENCE

**THE EXPERIENCE** Since 1984, DuMor has focused on combining the best products, people and Representatives to deliver a superior customer experience. Our people, manufacturing the finest products, are represented by teams of talented, dedicated individuals across the U.S. and Canada who deliver the DuMor customer experience on a local level. Company and Representative dedication to customer service has always been at the forefront of our business model. From your initial discussion with a DuMor Representative, through the specifying and manufacturing processes to final product delivery, we are driven to provide an exceptional customer experience.

**THE QUALITY** A cornerstone in the original DuMor vision was to design and manufacture outdoor furniture of exceptional quality. We are known throughout the industry as a brand that exemplifies the value of well built, superior quality products. Based in central Pennsylvania, DuMor is proud of our dedicated craftsmen who build each product with precision. Established and trusting relationships with quality vendors ensure we source the best raw materials for use in manufacturing. Efficient, quality focused manufacturing processes coupled with our people and materials enable DuMor to set the standard for quality in the site furnishing industry.



**THE VERSATILITY** Certain unique spaces demand a product with a perfect fit. At DuMor, we meet that challenge by working with Architects and Project Planners to bring custom product ideas to life. We have a dedicated team of designers and draftsmen who specialize in making custom products a reality in a timely manner. Additionally, changes to standard products such as additional armrests, custom color matching, unique bench length, and laser cut designs are no problem. We bring to the table decades of experience making site furnishings that turn your vision into reality.

**THE DESIGN** Good Design Matters. Ingrained in our culture is a desire to consistently introduce new and relevant products for our customers. Relevant means we aspire to have a product line as extensive and diverse as the projects that Landscape Architects and Planners design. Our goal is to design site furnishings that fit any space whether matching a contemporary space, accentuating traditional architecture, or blending into the nature of a park. The DuMor product line lives through the weather and industry trends because good design is timeless.

**WHY WE DO WHAT WE DO** We believe great outdoor spaces make the world better. We think communities flourish when they have public space to enjoy. We think commercial spaces should include functional site amenities. We want to make spaces more comfortable, accessible to everyone, functional and more beautiful. It's a simple thing that drives us. We love what we do!







# DUMOR COLLECTIONS

Families of benches, receptacles, planters, and tables  
coordinated by matching style





Shown in Forest Green finish/lpe

## BENCH 490

Douglas Fir slats

**490-60D** 6' LONG, 135 LBS.

**490-80D** 8' LONG, 157 LBS.

Ipe slats

**490-60I** 6' LONG, 180 LBS.

**490-80I** 8' LONG, 217 LBS.

Thermally Modified Red Oak slats

**490-60TMR** 6' LONG, 135LBS.

**490-80TMR** 8' LONG, 157LBS.

Recycled Plastic slats

**490-60PL** 6' LONG, 167 LBS.

**490-80PL** 8' LONG, 3 SUPPORTS, 239 LBS.


Wood Grain Recycled Plastic slats

**490-60TX** 6' LONG, 167 LBS.

**490-80TX** 8' LONG, 3 SUPPORTS, 239 LBS.

Add to unit price for center armrest

• Cast aluminum end supports





491 Shown in Forest Green finish/lpe

## BENCH 491/492

Douglas Fir slats

**491-60D** 6' LONG, W/ARMRESTS, 100 LBS.

**491-80D** 8' LONG, W/ARMRESTS, 115 LBS.

**492-60D** 6' LONG, 92 LBS.

**492-80D** 8' LONG, 107 LBS.

Ipe slats

**491-60I** 6' LONG, W/ARMRESTS, 128 LBS.

**491-80I** 8' LONG, W/ARMRESTS, 153 LBS.

**492-60I** 6' LONG, 120 LBS.

**492-80I** 8' LONG, 145 LBS.

Thermally Modified Red Oak slats

**491-60TMR** 6' LONG, W/ARMRESTS, 100 LBS.

**491-80TMR** 8' LONG, W/ARMRESTS, 115 LBS.

**492-60TMR** 6' LONG, 92 LBS.

**492-80TMR** 8' LONG, 107 LBS.

Recycled Plastic slats

**491-60PL** 6' LONG, W/ARMRESTS, 128 LBS.

**491-80PL** 8' LONG, 3 SUPPORTS, W/ARMRESTS, 183 LBS.

**492-60PL** 6' LONG, 120 LBS.

**492-80PL** 8' LONG, 3 SUPPORTS, 170 LBS.

Wood Grain Recycled Plastic slats

**491-60TX** 6' LONG, W/ARMRESTS, 128 LBS.


**491-80TX** 8' LONG, 3 SUPPORTS, W/ARMRESTS, 183 LBS.

**492-60TX** 6' LONG, 120 LBS.

**492-80TX** 8' LONG, 3 SUPPORTS, 170 LBS.

Add to unit price for center armrest

- Cast aluminum end supports



492 Shown in Forest Green finish/lpe





Shown in Forest Green


## BENCH 493

**493-60** 6' LONG, 238 LBS.

**493-80** 8' LONG, 299 LBS.

Add to unit price for center armrest

- Cast aluminum end supports







494-60 Shown in Forest Green

## BENCH 494/495

**494-60** 6' LONG, W/ARMRESTS, 192 LBS.

**494-80** 8' LONG, W/ARMRESTS, 240 LBS.

**495-60** 6' LONG, 183 LBS.


**495-80** 8' LONG, 231 LBS.

Add to unit price for center armrest

- Cast aluminum end supports



495-60 Shown in Forest Green







Shown in Almond


## BENCH 496

**496-60** 6' LONG, 216 LBS.

**496-80** 8' LONG, 287 LBS.

Add to unit price for center armrest

- Cast aluminum end supports







Bench 497 Shown in Almond

# BENCH 497/498

**497-60** 6' LONG, W/ARMRESTS, 186 LBS.

**497-80** 8' LONG, W/ARMRESTS, 228 LBS.

**498-60** 6' LONG, 177 LBS.


**498-80** 8' LONG, 219 LBS.

Add to unit price for center armrest

- Cast aluminum end supports



Bench 498 Shown in Almond






Shown in Carlsbad

## BENCH 93

**93-60** 6' LONG, 292 LBS.

**93-80** 8' LONG, 354 LBS.

Add to unit price for center armrest








Shown in Sudan

## BENCH 95

**95-60** 6' LONG, 223 LBS.

**95-80** 8' LONG, 272 LBS.

Add to unit price for center armrest





## BENCH 94


**94-60** 6' LONG, 230 LBS.

**94-80** 8' LONG, 277 LBS.

Add to unit price for center armrest

Mounting Options: Embedment (S-1), Surface Mount (S-2), and Free Standing (S-5)

- 1" x 1" steel tube seating surface



### MOUNTING OPTIONS



**S-1**  
EMBEDMENT



**S-2**  
SURFACE MOUNT



**S-5**  
FREE STANDING





Shown in Bronze


## RECEPTACLE 17

**17-22** 22-GALLON, 200 LBS.

Cover Options: Standard, Recycling (RC), Bonnet top (BT), Dome (DM)

Mounting Options: Embedment (S-1), Surface Mount (S-2), and Free Standing (S-5)

Emptying Method: Hinged cover, HDPE liner



### STANDARD



### ADDITIONAL COVER OPTIONS



RC



BT



DM

### MOUNTING OPTIONS



S-1  
EMBEDMENT



S-2  
SURFACE MOUNT



S-5  
FREE STANDING



Shown in Juniper Green

## BENCH 117


**117-60** 6' LONG, 223 LBS.

**117-80** 8' LONG, 275 LBS.

Add to unit price for center armrest

Mounting Options: Embedment (S-1), Surface Mount (S-2), and Free Standing (S-5)

• 2" x 1" steel tube seating surface



### MOUNTING OPTIONS



**S-1**  
EMBEDMENT



**S-2**  
SURFACE MOUNT



**S-5**  
FREE STANDING





Shown in Deep Red

## BENCH 118


**118-60** 6' LONG, 227 LBS.

**118-80** 8' LONG, 274 LBS.

Add to unit price for center armrest

Mounting Options: Embedment (S-1), Surface Mount (S-2), and Free Standing (S-5)


- Contoured 1" x 1" steel tube seating surface




### MOUNTING OPTIONS







Shown in Textured Black



Cast center armrest



Optional custom lettering

## BENCH 58


**58-60** 6' LONG, 300 LBS.

**58-80** 8' LONG, 361 LBS.

Add to unit price for center armrest



31.6875"







Shown in Textured Black

## BENCH 92


**92-60** 6' LONG, 227 LBS.

**92-80** 8' LONG, 275 LBS.

Add to unit price per end/center armrest



Cast center armrest



**102-32SH** in Textured Black (with shield)

## RECEPTACLE 102

**102-22** 22-GALLON, 236 LBS.

**102-22SH** 22-GALLON, W/OPTIONAL STEEL SHIELD, 258 LBS.

**102-32** 32-GALLON, 272 LBS.

**102-32SH** 32-GALLON, W/OPTIONAL STEEL SHIELD, 299 LBS.

**102-40-RC** 40-GALLON SPLIT STREAM RECYCLE, 278 LBS.

**102-40SHRC** 40-GALLON SPLIT STREAM RECYCLE, W/OPTIONAL STEEL SHIELD, 304 LBS.

Emptying Method: Hinge door emptying, HDPE liner

Listed Options

Additional Cover Options



Standard



40RC  
Split  
Stream



RC




BT




DM

**22 GAL.**



**32 GAL.**



Side door emptying



Shown in Black w/shield


## PLANTER 122

**122-00** STEEL PLANTER, 185 LBS.

**122-00SH** STEEL PLANTER W/OPTIONAL STEEL SHIELD, 201 LBS.

Add to unit price for self watering liner option

- HDPE liner
- Optional liner concealing shield




Shown in Black

## TABLE SET 443

**443-62** 6' TABLE, (2) 6' BENCHES, 806 LBS.

**443-82** 8' TABLE, (2) 8' BENCHES, 974 LBS.

**443-558-1** 8', ADA ACCESSIBLE TABLE, (2) 5' BENCHES, 827 LBS.







Shown in Black

Optional custom lettering

Cast center armrest


## BENCH 19

**19-60** 6' LONG, 379 LBS.

**19-80** 8' LONG, 457 LBS.

Add to unit price for center armrest

- Steel 5/8" round rod seating surface




## BENCH 106

**106-60** 6' LONG, 264 LBS.

**106-80** 8' LONG, 319 LBS.

Add to unit price per end/center armrest

- Steel 5/8" round rod seating surface



Shown in Black



Shown in Bronze finish/Antique Mahogany

## BENCH 57

Douglas Fir slats

**57-60D** 6' LONG, 198 LBS.

**57-80D** 8' LONG, 220 LBS.

Ipe slats

**57-60I** 6' LONG, 243 LBS.

**57-80I** 8' LONG, 280 LBS.

Thermally Modified Red Oak slats

**57-60TMR** 6' LONG, 198 LBS.

**57-80TMR** 8' LONG, 220 LBS.

Recycled Plastic slats

**57-40PL** 4' LONG, 194 LBS.

**57-60PL** 6' LONG, 229 LBS.

**57-80PL** 8' LONG, 3 SUPPORTS, 333 LBS.

Wood Grain Recycled Plastic slats

**57-40TX** 4' LONG, 194 LBS.

**57-60TX** 6' LONG, 229 LBS.

**57-80TX** 8' LONG, 3 SUPPORTS, 333 LBS.

Add to unit price for center armrest


- Cast iron end supports
- 2" x 3" nominal slats



Cast center armrest



Optional custom lettering







Shown in Bronze finish/Antique Mahogany

## BENCH 91

Douglas Fir slats

**91-60D** 6' LONG, 136 LBS.

**91-80D** 8' LONG, 151 LBS.

Ipe slats

**91-60I** 6' LONG, 164 LBS.

**91-80I** 8' LONG, 189 LBS.

Thermally Modified Red Oak slats

**91-60TMR** 6' LONG, 136 LBS.

**91-80TMR** 8' LONG, 151 LBS.

Recycled Plastic slats

**91-40PL** 4' LONG, 137 LBS.

**91-60PL** 6' LONG, 164 LBS.

**91-80PL** 8' LONG, 3 SUPPORTS, 236 LBS.


Wood Grain Recycled Plastic slats

**91-40TX** 4' LONG, 137 LBS.

**91-60TX** 6' LONG, 164 LBS.

**91-80TX** 8' LONG, 3 SUPPORTS, 236 LBS.

Add to unit price per end/center armrest



Shown in Bronze finish/Antique Mahogany

## RECEPTACLE 124

Douglas Fir slats

**124-31D** 31-GALLON, 209 LBS.

Ipe slats

**124-31I** 31-GALLON, 255 LBS.

Thermally Modified Red Oak slats

**124-31TMR** 31-GALLON, 209 LBS.

Recycled Plastic slats

**124-31PL** 31-GALLON, 219 LBS.

Wood Grain Recycled Plastic slats

**124-31TX** 31-GALLON, 219 LBS.

Emptying Method: Lift off lid emptying, galvanized steel liner

Standard Cover


Additional Cover Options



RC

BT

DM





Shown in Black finish/Cedar Recycled Plastic

## BENCH 143

Recycled Plastic slats

**143-40PL** 4' LONG, 176 LBS.

**143-60PL** 6' LONG, 211 LBS.

**143-80PL** 8' LONG, 3 SUPPORTS, 306 LBS.

Wood Grain Recycled Plastic slats

**143-40TX** 4' LONG, 176 LBS.

**143-60TX** 6' LONG, 211 LBS.


**143-80TX** 8' LONG, 3 SUPPORTS, 306 LBS.

Add to unit price for center armrest

- Custom lettering available on side supports



Cast center armrest





Shown in Black finish/Douglas Fir

## RECEPTACLE 152

Douglas Fir slats

**152-31D** 31-GALLON, 209 LBS.

Ipe slats

**152-31I** 31-GALLON, 255 LBS.

Thermally Modified Red Oak slats

**152-31TMR** 31-GALLON, 209 LBS.

Recycled Plastic slats

**152-31PL** 31-GALLON, 219 LBS.

Wood Grain Recycled Plastic slats

**152-31TX** 31-GALLON, 219 LBS.

Emptying Method: Lift off lid emptying,  
galvanized steel liner

Standard


Additional Cover Options



RC

BT

DM







Bench 140 Shown in Bronze

## BENCH 140

**140-60** 6' LONG, 282 LBS.


**140-80** 8' LONG, 343 LBS.

Add to unit price for center armrest

- Custom lettering available on side supports



Cast center armrest







Bench 144 Shown in Bronze


## BENCH 144

**144-60** 6' LONG, 217 LBS.

**144-80** 8' LONG, 265 LBS.

Add to unit price per end/center armrest

- Comfortable, contoured straps





Shown in Black



Cast center armrest


## BENCH 162

**162-60** 6' LONG, 261 LBS.

**162-80** 8' LONG, 331 LBS.

Add to unit price for center armrest

- Custom lettering available on side supports
- Laser cut backrest and 1" square tube seat







Shown in Black

## RECEPTACLE 148

**148-22** 22-GALLON, 233 LBS.

**148-22SH** 22-GALLON, W/OPTIONAL STEEL SHIELD, 255 LBS.

**148-32** 32-GALLON, 272 LBS.

**148-32SH** 32-GALLON, W/OPTIONAL STEEL SHIELD, 299 LBS.

**148-40RC** 40-GAL. SPLIT STREAM RECYCLE, 278 LBS.

**148-40SHRC** 40-GAL. SPLIT STREAM RECYCLE, W/OPTIONAL STEEL SHIELD, 304 LBS.

Emptying Method: Side door emptying, HDPE Liner

Listed Options

Additional Cover Options



Standard

40RC  
Split  
Stream

RC



BT





DM

- Optional liner-concealing shield



Side door emptying

**22 GAL.****32 GAL.**



Bench 119 Shown in Juniper Green


## BENCH 119

**119-60** 6' LONG, 299 LBS.

**119-80** 8' LONG, 359 LBS.

Add to unit price for center armrest

- Contoured steel seat







Bench 120 Shown in Juniper Green


## BENCH 120

**120-60** 6' LONG, 250 LBS.

**120-80** 8' LONG, 298 LBS.

Add to unit price for center armrest

- Contoured steel seat





Shown in Black


## BENCH 446

**446-60** 6' LONG, 245 LBS.

**446-80** 8' LONG, 308 LBS.

Add to unit price for center armrest

- Cast aluminum end supports







Bench 282 Shown in Black

## BENCH 282/283

With Armrests

**282-60** 6' LONG, 198 LBS.

**282-80** 8' LONG, 247 LBS.

Without Armrests

**283-60** 6' LONG, 180 LBS.


**283-80** 8' LONG, 229 LBS.

Add to unit price for center armrest

- Cast aluminum end supports



Bench 283 Shown in Black





Shown in Black finish/lpe

## BENCH 447

Douglas Fir slats

**447-60D** 6' LONG, 217 LBS.

**447-80D** 8' LONG, 272 LBS.

lpe slats

**447-60I** 6' LONG, 254 LBS.

**447-80I** 8' LONG, 327 LBS.

Thermally Modified Red Oak slats

**447-60TMR** 6' LONG, 217 LBS.

**447-80TMR** 8' LONG, 272 LBS.



Recycled Plastic slats

**447-60PL** 6' LONG, 229 LBS.

**447-80PL** 8' LONG, 269 LBS.

Add to unit price for  
center armrest

- Cast aluminum end supports







Bench 284 Shown in Black finish/lpe



Bench 285 Shown in Black finish/Walnut plastic

## BENCH 284/285

Douglas Fir slats

**284-60D** 6' LONG, W/ARMRESTS, 145 LBS.

**284-80D** 8' LONG, W/ARMRESTS, 171 LBS.

**285-60D** 6' LONG, 128 LBS.

**285-80D** 8' LONG, 153 LBS.

Ipe slats

**284-60I** 6' LONG, W/ARMRESTS, 179 LBS.

**284-80I** 8' LONG, W/ARMRESTS, 216 LBS.

**285-60I** 6' LONG, 162 LBS.

**285-80I** 8' LONG, 198 LBS.

Thermally Modified Red Oak slats

**284-60TMR** 6' LONG, W/ARMRESTS, 145 LBS.

**284-80TMR** 8' LONG, W/ARMRESTS, 171 LBS.

**285-60TMR** 6' LONG, 128 LBS.

**285-80TMR** 8' LONG, 153 LBS.

Recycled Plastic slats

**284-60PL** 6' LONG, W/ARMRESTS, 152 LBS.


**284-80PL** 8' LONG, W/ARMRESTS, 180 LBS.

**285-60PL** 6' LONG, 135 LBS.

**285-80PL** 8' LONG, 162 LBS.

Add to unit price for center armrest

• Cast aluminum end supports





Bench 160 Shown in Black



Bench 168 shown in Argento

## BENCH 160/168

Flat Bar Seat

**160-60** 6' LONG, 266 LBS.

**160-80** 8' LONG, 314 LBS.

Add to unit price for center armrest




Round Rod Seat

**168-60** 6' LONG, 239 LBS.

**168-80** 8' LONG, 284 LBS.



Cast center armrest







Bench 164 Shown in Argent

## BENCH 164/173

Flat Bar Seat

**164-60** 6' LONG, 205 LBS.

**164-80** 8' LONG, 239 LBS.

Add to unit price for center armrest


Round Rod Seat

**173-60** 6' LONG, 186 LBS.

**173-80** 8' LONG, 217 LBS.



Bench 173 Shown in Forest Green





**Bench 165** Shown in Bronze finish/Ipe

## BENCH 165

Douglas Fir slats

**165-60D** 6' LONG, 222 LBS.

**165-80D** 8' LONG, 251 LBS.

Ipe slats

**165-60I** 6' LONG, 264 LBS.

**165-80I** 8' LONG, 308 LBS.

Thermally Modified Red Oak slats

**165-60TMR** 6' LONG, 222 LBS.

**165-80TMR** 8' LONG, 251 LBS.

Recycled Plastic slats


**165-60PL** 6' LONG, 230 LBS.

**165-80PL** 8' LONG, 263 LBS.

Add to unit price for center armrest



32"







Bench 166 Shown in Black finish/Ipe

## BENCH 166

Douglas Fir slats

**166-60D** 6' LONG, 182 LBS.

**166-80D** 8' LONG, 204 LBS.

Ipe slats

**166-60I** 6' LONG, 206 LBS.

**166-80I** 8' LONG, 236 LBS.

Thermally Modified Red Oak slats

**166-60TMR** 6' LONG, 182 LBS.


**166-80TMR** 8' LONG, 204 LBS.

Recycled Plastic slats

**166-60PL** 6' LONG, 187 LBS.

**166-80PL** 8' LONG, 210 LBS.

Add to unit price for center armrest







Shown in Hunter Green

## BENCH 190

**190-60** 6' LONG, 277 LBS.



**190-80** 8' LONG, 325 LBS.

Add to unit price for center armrest

- Ductile iron end support



COORDINATING  
PLANTER ON PAGE 107







Shown in Hunter Green

## BENCH 191

**191-60** 6' LONG, 205 LBS.

**191-80** 8' LONG, 239 LBS.

Add to unit price for center armrest

- Ductile iron end support



**429-32-S03** Shown in Hunter Green

## RECEPTACLE 429

**429-32-FTO** 32-GALLON, TOP DEPOSIT, 191 LBS.

**429-32-SO1** 32-GALLON, SIDE DEPOSIT, 1 OPENING, 204 LBS.

**429-32-SO2** 32-GALLON, SIDE DEPOSIT, 2 OPENINGS, 203 LBS.

**429-32-SO3** 32-GALLON, SIDE DEPOSIT, 3 OPENINGS, 201 LBS.

Emptying Method: Hinged cover, HDPE liner

Listed Options

Additional Cover Options



FTO



SO



RC




BT




Hinged cover



23.75"




75" / 99"



37.375"

22.4375"



45.875"

22.4375"



Shown in Deep Red finish/Walnut plastic

## BENCH 185

Douglas Fir slats

**185-60D** 6' LONG, 168 LBS.

**185-80D** 8' LONG, 196 LBS.

Ipe slats

**185-60I** 6' LONG, 214 LBS.

**185-80I** 8' LONG, 257 LBS.

Thermally Modified Red Oak slats

**185-60TMR** 6' LONG, 168 LBS.

**185-80TMR** 8' LONG, 196 LBS.


Recycled Plastic slats

**185-60PL** 6' LONG, 177 LBS.

**185-80PL** 8' LONG, 3 SUPPORTS,  
253 LBS.

Add to unit price per end/center armrest

- Ductile cast iron supports







## BENCH 186

Douglas Fir slats

**186-60D** 6' LONG, 102 LBS.

**186-80D** 8' LONG, 120 LBS.

Ipe slats

**186-60I** 6' LONG, 126 LBS.

**186-80I** 8' LONG, 152 LBS.

Thermally Modified Red Oak slats

**186-60TMR** 6' LONG, 102 LBS.

**186-80TMR** 8' LONG, 120 LBS.

Recycled Plastic slats

**186-60PL** 6' LONG, 107 LBS.

**186-80PL** 8' LONG, 3 SUPPORTS, 152 LBS.

Add to unit price per end/center armrest

- Ductile cast iron supports



## RECEPTACLE 187

Douglas Fir slats

**187-32D-FTO** 32-GALLON, 186 LBS.

Ipe slats

**187-32I-FTO** 32-GALLON, 238 LBS.

Thermally Modified Red Oak slats

**187-32TMR-FTO** 32-GALLON, 186 LBS.

Recycled Plastic slats

**187-32PL-FTO** 32-GALLON, 198 LBS.

Emptying Method: Hinged cover, HDPE liner

Listed Option

Additional Cover Options




RC

BT

DM

- Cast iron legs





Shown in Bronze


## BENCH 194

**194-60** 6' LONG, 218 LBS.

**194-80** 8' LONG, 259 LBS.

Add to unit price per end/center armrest

- Ductile cast iron supports
- Laser cut backrest and 1" square tube seating







Shown in Bronze


## BENCH 195

**195-60** 6' LONG, 112 LBS.

**195-80** 8' LONG, 133 LBS.

Add to unit price per end/center armrest

- Ductile cast iron supports



Shown in Bronze

## RECEPTACLE 196

**196-32** 32-GALLON, 259 LBS.

Emptying Method: Hinged cover, HDPE liner

Listed Option



Additional Cover Options




RC

BT

DM

- Cast iron legs





505-60HC Shown in White





505-60INA Shown in White finish/Ipe

## BENCH 505

With Armrests

**505-60I** 6' LONG, IPE SLATS, 186 LBS.

**505-60TMR** 6' LONG, THERMALLY MODIFIED RED OAK SLATS, 166 LBS.

**505-60PL** 6' LONG, RECYCLED PLASTIC SLATS, 160 LBS.

**505-60TX** 6' LONG, WG RECYCLED PLASTIC SLATS, 160 LBS.

**505-60HC** 6' LONG, STEEL SEAT AND BACKREST, 194 LBS.

Without Armrests

**505-60INA** 6' LONG, IPE SLATS, 181 LBS.

**505-60TMRNA** 6' LONG, THERMALLY MODIFIED RED OAK SLATS, 161 LBS.


**505-60PLNA** 6' LONG, RECYCLED PLASTIC SLATS, 155 LBS.

**505-60TXNA** 6' LONG, WG RECYCLED PLASTIC SLATS, 155 LBS.

**505-60HCNA** 6' LONG, STEEL SEAT AND BACKREST, 189 LBS.

Add to unit price for center armrest

- Cast aluminum end supports





506-60TXHS Shown in White w/Horizontal Steel back and Antique Mahogany seat

## BENCH 506

### With Armrests

**506-60I** 6' LONG, IPE SLATS, 186 LBS.

**506-60IHS** 6' LONG, IPE SLATS AND STEEL BACKREST, 205 LBS.

**506-60TMR** 6' LONG, THERMALLY MODIFIED RED OAK, 166 LBS.

**506-60TMRHS** 6' LONG, THERMALLY MODIFIED RED OAK AND STEEL BACKREST, 195 LBS.

**506-60PL** 6' LONG, RECYCLED PLASTIC SLATS, 160 LBS.

**506-60PLHS** 6' LONG, RECYCLED PLASTIC SLATS AND STEEL BACKREST, 187 LBS.

**506-60TX** 6' LONG, WG RECYCLED PLASTIC SLATS, 160 LBS.

**506-60TXHS** 6' LONG, WG RECYCLED PLASTIC SLATS AND STEEL BACKREST, 187 LBS.

**506-60HC** 6' LONG, STEEL SEAT AND BACKREST, 194 LBS.

### Without Armrests

**505-60INA** 6' LONG, IPE SLATS, 181 LBS.

**505-60IHSNA** 6' LONG, IPE SLATS AND STEEL BACKREST, 201 LBS.

**505-60TMRNA** 6' LONG, THERMALLY MODIFIED RED OAK, 161 LBS.

**505-60TMRHSNA** 6' LONG, THERMALLY MODIFIED RED OAK AND STEEL BACKREST, 191 LBS.

**505-60PLNA** 6' LONG, RECYCLED PLASTIC SLATS, 155 LBS.

**505-60PLHSNA** 6' LONG, RECYCLED PLASTIC SLATS AND STEEL BACKREST, 182 LBS.


**505-60TXNA** 6' LONG, WG RECYCLED PLASTIC SLATS, 155 LBS.

**505-60TXHSNA** 6' LONG, WG RECYCLED PLASTIC SLATS AND STEEL BACKREST, 182 LBS.

**505-60HCNA** 6' LONG, STEEL SEAT AND BACKREST, 189 LBS.

Add to unit price for center armrest

• Cast aluminum end supports







507-60TX Shown in White/Antique Mahogany

## BENCH 507

**507-60I** 6' LONG, IPE SLATS, 155 LBS.

**507-60TMR** 6' LONG, THERMALLY MODIFIED RED OAK, 150 LBS.

**507-60PL** 6' LONG, RECYCLED PLASTIC SLATS, 130 LBS.

**507-60TX** 6' LONG, WG RECYCLED PLASTIC SLATS, 130 LBS.


**507-60HC** 6' LONG, STEEL SEAT, 126 LBS.

Add to unit price per end/center armrest

- Cast aluminum end supports



507-60HC Shown in White





## BENCH 270



**270-60I** 6' LONG, IPE SLATS, 178 LBS.

**270-60TMR** 6' LONG, THERMALLY MODIFIED RED OAK SLATS, 138 LBS.

**270-60PL** 6' LONG, RECYCLED PLASTIC SLATS, 187 LBS.

**270-60TX** 6' LONG, WOOD GRAIN RECYCLED PLASTIC SLATS, 187 LBS.

Add to unit price for center armrest







Shown in Textured Charcoal/Ipe

## BENCH 271

**271-60I** 6' LONG, IPE SLATS, 123 LBS.

**270-60TMR** 6' LONG, THERMALLY MODIFIED RED OAK SLATS, 103 LBS.

**271-60PL** 6' LONG, RECYCLED PLASTIC SLATS, 123 LBS.

**271-60TX** 6' LONG, WOOD GRAIN RECYCLED PLASTIC, 123 LBS.

Add to unit price for center armrest



Shown in Textured Charcoal

## RECEPTACLE 272

**272-32-SO** 32-GALLON, SIDE DEPOSIT, 109 LBS.

**272-32-FTO** 32-GALLON, TOP DEPOSIT, 98 LBS.

Emptying Method: Lift off lid emptying, HDPE liner



Listed Additional Cover Option



FTO



RC





Shown in Textured Silver finish/Ipe

## BENCH 500

**500-60D** 6' LONG, DOUGLAS FIR, 128 LBS.

**500-60I** 6' LONG, IPE, 148 LBS.

**500-60TMR** 6' LONG, THERMALLY MODIFIED RED OAK, 128 LBS.

**500-60PL** 6' LONG, RECYCLED PLASTIC, 153 LBS.

**500-60TX** 6' LONG, WOOD GRAIN RECYCLED PLASTIC, 153 LBS.


**500-60HS** 6' LONG, STEEL, 181 LBS.

Add to unit price for center armrest


Support Options: Embedment (S-1), Surface Mount (S-2), and Free Standing (S-5)



500-60HS Steel bench in black



### MOUNTING OPTIONS







501-60I in Textured Silver finish/Ipe

## BENCH 501

With Armrests

**501-60D** 6' LONG, DOUGLAS FIR, 102 LBS.

**501-60I** 6' LONG, IPE, 116 LBS.

**501-60TMR** 6' LONG, THERMALLY MODIFIED OAK, 102 LBS.

**501-60PL** 6' LONG, RECYCLED PLASTIC, 126 LBS.

**501-60TX** 6' LONG, WG RECYCLED PLASTIC, 126 LBS.

**501-60HS** 6' LONG, STEEL, 129 LBS.

Without Armrests

**501-60DNA** 6' LONG, DOUGLAS FIR, 93 LBS.

**501-60INA** 6' LONG, IPE, 107 LBS.

**501-60TMRNA** 6' LONG, THERMALLY MODIFIED OAK, 93 LBS.

**501-60PLNA** 6' LONG, RECYCLED PLASTIC, 117 LBS.

**501-60TXNA** 6' LONG, WG RECYCLED PLASTIC, 117 LBS.


**501-60HSNA** 6' LONG, STEEL, 120 LBS.

Add to unit price for center armrest

Support Options: Embedment (S-1), Surface Mount (S-2), and Free Standing (S-5)



501-60HSNA Steel bench



502-32I-BT in Textured Silver finish/Ipe

## RECEPTACLE 502

Flat top Cover

**502-32D-FTO** 32-GALLON, DOUGLAS FIR, 136 LBS.

**502-32I-FTO** 32-GALLON, IPE, 162 LBS.

**502-32TMR-FTO** 32-GALLON, THERM MODIFIED OAK, 136 LBS.

**502-32PL-FTO** 32-GALLON, RECYCLED PLASTIC, 143 LBS.

**502-32TX-FTO** 32-GALLON, WG RECYCLED PLASTIC, 143 LBS.

**502-32HS-FTO** 32-GALLON, STEEL, 183 LBS.

Bonnet Top Cover

**502-32D-BT** 32-GALLON, DOUGLAS FIR, 180 LBS.

**502-32I-BT** 32-GALLON, IPE, 206 LBS.

**502-32TMR-BT** 32-GALLON, THERM MODIFIED OAK, 180 LBS.

**502-32PL-BT** 32-GALLON, RECYCLED PLASTIC, 187 LBS.

**502-32TX-BT** 32-GALLON, WG RECYCLED PLASTIC, 187 LBS.

**502-32HS-BT** 32-GALLON, STEEL, 228 LBS.

Mounting Options: Embedment (S-1), Surface Mount (S-2), and Free Standing (S-5)

Emptying Method: Side door opening, HDPE liner





502-32HS-BT All Steel



502-32I-FTO (with door open)

### MOUNTING OPTIONS





**472-60I-2AR** Shown in Argento finish/Ipe, S-2 supports

## BENCH 472

Douglas Fir slats

**472-60D** 6' LONG, 222 LBS.

**472-60D-2AR** 6' LONG, 2 ARMRESTS, 234 LBS.

Ipe slats

**472-60I** 6' LONG, 271 LBS.

**472-60I-2AR** 6' LONG, 2 ARMRESTS, 283 LBS.

Thermally Modified Red Oak slats

**472-60TMR** 6' LONG, 217 LBS.

**472-60TMR-2AR** 6' LONG, 2 ARMRESTS, 229 LBS.

Steel slats

**472-60HS** 6' LONG, 282 LBS.



**472-60HS-2AR** 6' LONG, 2 ARMRESTS, 294 LBS.

Add to unit price for center armrest


Support Options: Surface Mount (S-2), and Free Standing (S-5)



**472-60HS**-Steel Bench- S-2 supports







**473-60I-2AR** Shown in Argento finish/lpe S-2 supports



**474-32I-FTO** in Argento finish/lpe

## BENCH 473

Douglas Fir slats

**473-60D** 6' LONG, 159 LBS.

**473-60D-2AR** 6' LONG, 2 ARMRESTS, 179 LBS.

Ipe slats

**473-60I** 6' LONG, 190 LBS.

**473-60I-2AR** 6' LONG, 2 ARMRESTS, 210 LBS.

Thermally Modified Red Oak slats

**473-60TMR** 6' LONG, 162 LBS.

**473-60TMR-2AR** 6' LONG, 2 ARMRESTS, 182 LBS.

Steel slats

**473-60HS** 6' LONG, 207 LBS.


**473-60HS-2AR** 6' LONG, 2 ARMRESTS, 227 LBS.

Add to unit price for center armrest

Support Options: Surface Mount (S-2), and Free Standing (S-5)



**473-60HS**-Steel Bench- S-2 supports



## RECEPTACLE 474

Douglas Fir slats

**474-32D-FTO** 32-GALLON, FLAT TOP, 170 LBS.

**474-32D-BT** 32-GALLON, BONNET TOP, 194 LBS.

Ipe slats

**474-32I-FTO** 32-GALLON, FLAT TOP, 223 LBS.

**474-32I-BT** 32-GALLON, BONNET TOP, 247 LBS.

Thermally Modified Red Oak slats

**474-32TMR-FTO** 32-GALLON, FLAT TOP, 170 LBS.

**474-32TMR-BT** 32-GALLON, BONNET TOP, 194 LBS.

Steel

**474-32VS-FTO** 32-GALLON, FLAT TOP, 283 LBS.

**474-32VS-BT** 32-GALLON, BONNET TOP, 306 LBS.

Listed Options


Additional Option



**474-32VS-BT**



**474-32VS-FTO**





## BENCH 470


**470-60D** 6' LONG, DOUGLAS FIR SLATS, 217 LBS.

**470-60I** 6' LONG, IPE SLATS, 266 LBS.

**470-60TMR** 6' LONG, THERMALLY MODIFIED RED OAK SLATS, 217 LBS.

**470-60HS** 6' LONG, STEEL SLATS, 282 LBS.

Add to unit price per end/center armrest



## BENCH 471


**471-60D** 6' LONG, DOUGLAS FIR SLATS, 162 LBS.

**471-60I** 6' LONG, IPE SLATS, 192 LBS.

**471-60TMR** 6' LONG, THERMALLY MODIFIED RED OAK SLATS, 162 LBS.

**471-60HS** 6' LONG, STEEL SLATS, 207 LBS.

Add to unit price per end/center armrest







Shown in Textured Charcoal finish/Ipe

## TABLE SET 475

**475-60D** 6' TABLE, 2 BENCHES, DOUGLAS FIR SLATS, 587 LBS.

**475-60-1D** ADA ACCESSIBLE, 6' TABLE, (2) 6' BENCHES, DOUGLAS FIR SLATS, 616 LBS.

**475-60I** 6' TABLE, 2 BENCHES, IPE SLATS, 690 LBS.

**475-60-1I** ADA ACCESSIBLE, 6' TABLE, (2) 6' BENCHES, IPE SLATS, 694 LBS.


**475-60TMR** 6' TABLE, 2 BENCHES, THERMALLY MODIFIED RED OAK SLATS, 690 LBS.

**475-60-1TMR** ADA ACCESSIBLE, 6' TABLE, (2) 6' BENCHES, THERMALLY MODIFIED RED OAK SLATS, 694 LBS.

**475-60HS** 6' TABLE, 2 BENCHES, STEEL SLATS, 744 LBS.

**475-60-1HS** ADA ACCESSIBLE, 6' TABLE, (2) 6' BENCHES, STEEL SLATS, 744 LBS.

Support Options: Surface Mount (S-2), and Free Standing (S-5)





Shown in Argento

## BENCH 59


**59-60** 6' LONG, 198 LBS.

**59-80** 8' LONG, 235 LBS.



Add to unit price for center armrest

Support Options: Embedment (S-1), Surface Mount (S-2), Gull Wing (S-3), and Sub Floor (S-4)

- Perforated steel seat frame



### MOUNTING OPTIONS







Shown in Deep Red

## BENCH 104

**104-60** 6' LONG, 165 LBS.

**104-80** 8' LONG, 181 LBS.

Add to unit price for center armrest

Support Options: Embedment (S-1), Surface Mount (S-2), Gull Wing (S-3), and Sub Floor (S-4)

- Perforated steel seat frame



Shown in Juniper Green with optional dome (DM) cover

## RECEPTACLE 89



**89-32** 32-GALLON, 129 LBS.

**89-40-RC** 40-GALLON SPLIT STREAM RECYCLE, 136 LBS.



Emptying Method: Lift off lid emptying, HDPE liner

Listed Options

Additional Cover Options



### MOUNTING OPTIONS



## 520 COLLECTION

Our most versatile series of seating utilizing interchangeable supports and seats. Follow or meander through a landscape with elegantly connected straight and curved benches. Limitless combinations and drawn to your specification. Standalone or wall mounted. Available in Ipe, Recycled Plastic, Wood Grain Recycled Plastic, and Thermally Modified Red Oak.

### STANDARD BENCHES

Traditional six and eight foot long benches in 2 different wood configurations.



- 521**
- 6ft or 8ft, 2"x 4" lumber
  - Vertical wood layout



- 520**
- 6ft or 8ft, 2"x 4" lumber
  - Vertical wood layout



- 523**
- 6ft or 8ft, 2"x4" lumber
  - Horizontal wood layout



- 522**
- 6ft or 8ft, 2"x 4" lumber
  - Horizontal wood layout

### CONTINUOUS BENCHES

Utilizing connecting support legs and end support legs, lengths and configurations are limitless.



- R521**
- Built to your specification, 48" minimum inside radius
  - 2"x 3" lumber, vertical wood layout
  - Limitless length (3 connected shown)



- R520**
- Built to your specification, 48" minimum inside radius
  - Convex or concave orientation
  - 2"x 3" lumber, vertical wood layout
  - Limitless length (3 connected shown)



- 521 AND 523 CONTINUOUS**
- Unlimited length in 6ft increments (3 connected shown)
  - Horizontal or vertical wood layouts
  - 2"x 4" lumber



- 520 AND 522 CONTINUOUS**
- Unlimited length in 6ft increments (3 connected shown)
  - Horizontal or vertical wood layouts
  - 2"x 4" lumber



- 528 ANGLE CONNECTOR**
- Unlimited length in 6ft increments (3 connected shown)
  - 90 degree, 45 degree, 30 degree angle connectors
  - Horizontal or vertical wood layouts
  - 2"x 4" lumber



- 528 ANGLE CONNECTOR**
- Unlimited length in 6ft increments (2 connected shown)
  - 90 degree, 45 degree, 30 degree angle connectors
  - Horizontal or vertical wood layouts
  - 2"x 4" lumber





## WALL MOUNTED BENCHES

Wall mounted benches with all the same versatility and limitless combinations seen on continuous benches.



### WR521

- 2" x 3" lumber
- Built to specification, 48" minimum inside radius
- Limitless length (3 connected shown)
- Wall mounted (wall not included)



### WR520

- 2" x 3" lumber
- Convex or concave orientation
- Built to specification, 48" minimum inside radius
- Limitless length (3 connected shown)
- Wall mounted (wall not included)



### W521 AND W523

- 2" x 4" lumber
- Unlimited length in 6ft increments (3 connected shown)
- Horizontal or vertical wood layouts
- Wall mounted (wall not included)



### W520 AND W522

- 2" x 4" lumber
- Unlimited length in 6ft increments (3 connected shown)
- Horizontal or vertical wood layouts
- Wall mounted (wall not included)

## SEAT ISLANDS

Large versatile shared seating platforms measuring twice the depth of a backless bench.



### 524-38

- 38" x 38", 2" x 4" lumber
- Horizontal wood layout
- Full backrest available



### 524-76

- 38" x 77", 2" x 4" lumber
- Horizontal wood layout



### 524-76B

- 38" x 77", 2" x 4" lumber
- Horizontal wood layout
- Full or half backrest



### U524-76

- 38" x 77", 2" x 4" lumber
- Horizontal wood layout

## TABLE

Complimentary picnic style table utilizing standard backless benches.




### 525-60

- 6' long, 2" x 4" lumber
- Horizontal wood layout



### 525-663

- 6' long, 2" x 4" lumber
- ADA accessible
- Horizontal wood layout










# POST MOUNT BENCHES

Wood and recycled plastic post mount park style benches



Bench 88 Shown in Black finish/Walnut plastic



## BENCH 88

Douglas Fir slats

**88-60D** 6' LONG, 2 SUPPORTS, 181 LBS.

**88-80D** 8' LONG, 2 SUPPORTS, 213 LBS.

Recycled Plastic slats

**88-40PL** 4' LONG, 2 SUPPORTS, 170 LBS.

**88-50PL** 5' LONG, 2 SUPPORTS, 192 LBS.

**88-60PL** 6' LONG, 3 SUPPORTS, 257 LBS.


**88-80PL** 8' LONG, 3 SUPPORTS, 299 LBS.

Add to unit price per end/center armrest

Mounting Options: Embedment (S-1), Surface Mount (S-2), Gull Wing (S-3), and Sub Floor (S-4)



Bench 103 Shown in Black finish/Walnut plastic



## BENCH 103

Recycled Plastic slats

**103-40PL** 4' LONG, 2 SUPPORTS, 116 LBS.

**103-50PL** 5' LONG, 2 SUPPORTS, 129 LBS.


**103-60PL** 6' LONG, 3 SUPPORTS, 175 LBS.

**103-80PL** 8' LONG, 3 SUPPORTS, 200 LBS.

Add to unit price per end/center armrest

Mounting Options: Embedment (S-1), Surface Mount (S-2), Gull Wing (S-3), and Sub Floor (S-4)


### MOUNTING OPTIONS







Bench 11 Shown in Bronze finish/Grey plastic



## BENCH 11/56

Douglas Fir slats

**56-60D** 6' LONG, 2 SUPPORTS, 174 LBS.

**56-80D** 8' LONG, 2 SUPPORTS, 210 LBS.

Recycled Plastic slats

**11-60PL** 6' LONG, 3 SUPPORTS, 223 LBS.

**11-80PL** 8' LONG, 3 SUPPORTS, 265 LBS.


Add to unit price per end/center armrest

Mounting Options: Embedment (S-1), Surface Mount (S-2), and Sub Floor (S-4)

- 4" x 4" nominal slats
- 2.5" schedule 40 welded pipe supports



Bench 105 Shown in Bronze finish/Grey plastic



## BENCH 105

Douglas Fir slats

**105-60D** 6' LONG, 2 SUPPORTS, 118 LBS.

**105-80D** 8' LONG, 2 SUPPORTS, 142 LBS.

Recycled Plastic slats


**105-60PL** 6' LONG, 3 SUPPORTS, 153 LBS.

**105-80PL** 8' LONG, 3 SUPPORTS, 180 LBS.

Add to unit price per end/center armrest

Mounting Options: Embedment (S-1), Surface Mount (S-2), and Sub Floor (S-4)

### MOUNTING OPTIONS





Bench 138 Shown in Black finish/Cedar plastic

## BENCH 138

Douglas Fir slats

**138-60D** 6' LONG, 2 SUPPORTS, 95 LBS.

**138-80D** 8' LONG, 2 SUPPORTS, 114 LBS.

Ipe slats

**138-60I** 6' LONG, 2 SUPPORTS, 129 LBS.

**138-80I** 8' LONG, 2 SUPPORTS, 161 LBS.

Thermally Modified Red Oak slats

**138-60TMR** 6' LONG, 2 SUPPORTS, 95 LBS.

**138-80TMR** 8' LONG, 2 SUPPORTS, 114 LBS.


Recycled Plastic slats

**138-60PL** 6' LONG, 3 SUPPORTS, 126 LBS.

**138-80PL** 8' LONG, 3 SUPPORTS, 144 LBS.

Add to unit price per end/center armrest

Mounting Options: Embedment (S-1), Surface Mount (S-2), and Sub Floor (S-4)



Bench 139 Shown in Bronze finish/Grey plastic

## BENCH 139

Douglas Fir slats

**139-60D** 6' LONG, 2 SUPPORTS, 67 LBS.

**139-80D** 8' LONG, 2 SUPPORTS, 79 LBS.

Ipe slats

**139-60I** 6' LONG, 2 SUPPORTS, 90 LBS.

**139-80I** 8' LONG, 2 SUPPORTS, 110 LBS.

Thermally Modified Red Oak slats

**139-60TMR** 6' LONG, 2 SUPPORTS, 67 LBS.

**139-80TMR** 8' LONG, 2 SUPPORTS, 79 LBS.

Recycled Plastic slats

**139-60PL** 6' LONG, 3 SUPPORTS, 89 LBS.

**139-80PL** 8' LONG, 3 SUPPORTS, 101 LBS.


Add to unit price per end/center armrest

Mounting Options: Embedment (S-1), Surface Mount (S-2), and Sub Floor (S-4)

### MOUNTING OPTIONS



S-1  
EMBEDMENT



S-2  
SURFACE MOUNT



S-4  
SUB FLOOR



18"  
15.5"



77"/95"




# POST MOUNT BENCHES



Bench 131-60PL Shown in Hunter Green finish/Cedar plastic

## BENCH 35/131

Douglas Fir slats  
**35-60D** 6' LONG, 2 SUPPORTS, 234 LBS.  
**35-80D** 8' LONG, 2 SUPPORTS, 267 LBS.  
Recycled Plastic slats  
**131-60PL** 6' LONG, 3 SUPPORTS, 309 LBS.  
**131-80PL** 8' LONG, 3 SUPPORTS, 352 LBS.  
Add to unit price for center armrest  
Mounting Options: Embedment (S-1), Surface Mount (S-2), Gull Wing (S-3), and Sub Floor (S-4)  
• 3" x 1/2" welded steel end frames





Bench 34 Shown in Black finish/Ipe

## BENCH 34

Douglas Fir slats  
**34-60D** 6' LONG, 2 SUPPORTS, 138 LBS.  
**34-80D** 8' LONG, 2 SUPPORTS, 158 LBS.  
Ipe slats  
**34-60I** 6' LONG, 2 SUPPORTS, 183 LBS.  
**34-80I** 8' LONG, 2 SUPPORTS, 219 LBS.  
Thermally Modified Red Oak slats  
**34-60TMR** 6' LONG, 138 LBS.  
**34-80TMR** 8' LONG, 158 LBS.  
Recycled Plastic slats  
**34-60PL** 6' LONG, 3 SUPPORTS, 159 LBS.  
Wood Grain Recycled Plastic slats  
**34-60TX** 6' LONG, 3 SUPPORTS, 159 LBS.  
Add to unit price per end/center armrest  
Mounting Options: Embedment (S-1), Surface Mount (S-2), Gull Wing (S-3), and Sub Floor (S-4)  
• 2" x 3" nominal slats

### MOUNTING OPTIONS





## BENCH 51

Douglas Fir slats

**51-60D** 6' LONG, 2 SUPPORTS, 245 LBS.



**51-80D** 8' LONG, 2 SUPPORTS, 293 LBS.

Add to unit price per end/center armrest

Mounting Options: Embedment (S-1),  
Surface Mount (S-2), Gull Wing (S-3), and  
Sub Floor (S-4)

• 2" x 4" and 4" x 4" nominal slats

• Factory assembled seat



## BENCH 39

Douglas Fir slats

**39-60D** 6' LONG, 2 SUPPORTS, 170 LBS.




**39-80D** 8' LONG, 2 SUPPORTS, 199 LBS.

Add to unit price per end/center armrest

Mounting Options: Embedment (S-1),  
Surface Mount (S-2), Gull Wing (S-3), and  
Sub Floor (S-4)

• 2" x 3" and 3" x 4" nominal slats

### MOUNTING OPTIONS





## POST MOUNT BENCHES



**Bench 163** Shown in Black finish/Cedar plastic

### BENCH 163


Recycled Plastic slats

**163-60PL** 6' LONG, 2 SUPPORTS, 158 LBS.

**163-80PL** 8' LONG, 3 SUPPORTS, 220 LBS.

Mounting Options: Embedment (S-1),  
Surface Mount (S-2), Gull Wing (S-3), and  
Sub Floor (S-4)

- Factory assembled



**Bench 37** Shown in Bronze finish/Douglas Fir

### BENCH 37

Douglas Fir slats



**37-60D** 6' LONG, 2 SUPPORTS, 165 LBS.

**37-80D** 8' LONG, 2 SUPPORTS, 193 LBS.

Mounting Options: Embedment (S-1),  
Surface Mount (S-2), Gull Wing (S-3), and  
Sub Floor (S-4)

- Factory assembled

#### MOUNTING OPTIONS







# LITTER & RECYCLING RECEPTACLES

## RECEPTACLE COVER OPTIONS

### Standard Cover



STANDARD LID

### Add-On Cover Options



RC- RECYCLE LID\*



BT-BONNET TOP



DM-DOME TOP

## SPLIT STREAM RECYCLING

### 40-RC Split Liners and Recycle Lid

The "40-RC" denotation on the end of certain product numbers indicates the receptacle has two 20 gal. semicircle liners and a split material lid (as shown right).

- The following receptacles can be purchased new with this option: 41, 70, 84, 87, 89, 102, 107, 148, 157, 158, 170, 200/300, and 432.
- A split stream recycling retrofit kit can also be purchased for most existing DuMor units.



*\*Vinyl lettering shown on recycling covers above is not available on any textured powder coat finishes.*



Shown in Textured Charcoal



Shown in Argento with shield

## RECEPTACLE 84

**84-22** 22-GALLON, 139 LBS.



**84-32** 32-GALLON, 186 LBS.

**84-40-RC** 40-GALLON SPLIT STREAM RECYCLE, 195 LBS.

Emptying Method: Cable attached lift off lid emptying, HDPE liners

Listed Options

Additional Cover Options



## RECEPTACLE 158

**158-22** 22-GALLON, 186 LBS.

**158-22SH** 22-GALLON W/OPTIONAL STEEL SHIELD, 206 LBS.

**158-32** 32-GALLON, 238 LBS.

**158-32SH** 32-GALLON W/OPTIONAL STEEL SHIELD, 266 LBS.



**158-40-RC** 40-GALLON SPLIT STREAM RECYCLE, 249 LBS.

**158-40SHRC** 40-GALLON SPLIT STREAM RECYCLE W/OPTIONAL STEEL SHIELD, 277 LBS.

Emptying Method: Cable attached lift off lid emptying, HDPE liners

Listed Options

Additional Cover Options



- Optional 18-gauge liner-concealing shield





## RECEPTACLE 157

**157-22** 22-GALLON, 204 LBS.

**157-22SH** 22-GALLON W/OPTIONAL STEEL SHIELD, 223 LBS.

**157-32** 32-GALLON, 249 LBS.

**157-32SH** 32-GALLON W/OPTIONAL STEEL SHIELD, 277 LBS.


**157-40-RC** 40-GALLON SPLIT STREAM RECYCLE, 259 LBS.

**157-40SHRC** 40-GALLON SPLIT STREAM RECYCLE W/OPTIONAL STEEL SHIELD, 287 LBS.


Emptying Method: Side door emptying, HDPE Liners

Listed Options

Additional Cover Options



- Optional liner-concealing shield



## RECEPTACLE 438


**438-32** 32-GALLON, 240 LBS.

**438-32SH** 32-GALLON W/OPTIONAL STEEL SHIELD, 270 LBS.

Emptying Method: Side door emptying, HDPE Liner

Listed Options

Additional Cover Options



- Optional liner-concealing shield





Shown in Black



Shown in Black

## RECEPTACLE 107

**107-22** 22-GALLON, 179 LBS.


**107-32** 32-GALLON, 257 LBS.

**107-40-RC** 40-GALLON SPLIT STREAM RECYCLE, 268 LBS.

Emptying Method: Cable attached lift off lid emptying, HDPE liner


Listed Options

Additional Cover Options



Standard


40RC  
Split  
Stream



RC

BT

DM



## RECEPTACLE 87

**87-22** 22-GALLON, 149 LBS.


**87-32** 32-GALLON, 192 LBS.

**87-40-RC** 40-GALLON SPLIT STREAM RECYCLE, 193 LBS.

Emptying Method: Hinged cover, HDPE liner


Listed Options

Additional Cover Options



Standard


40RC  
Split  
Stream



RC

BT

DM



Hinged cover





## RECEPTACLE 432

**432-22** 22-GALLON, 103 LBS.

**432-32** 32-GALLON, 142 LBS.

**432-40-RC** 40-GALLON SPLIT STREAM RECYCLE, 150 LBS.

**432-55** 55-GALLON, 148 LBS.

Emptying Method: Cable attached lift off lid emptying, HDPE liner

Listed Options

Additional Cover Options



Standard



40RC  
Split  
Stream




RC



BT



DM





286-32SH-FTO in Argento with shield



287-32SH-SO in Argento with shield

### RECEPTACLE 286









**286-32** 32-GALLON, 224 LBS.


**286-32SH** 32-GALLON W/OPTIONAL STEEL SHIELD, 252 LBS.

Emptying Method: Side door emptying, HDPE Liners

- Optional liner-concealing shield (shown)
- Recycle color coding and labeling available
- Labeling not available on any textured powder coat finishes
- Labeling located on band beneath cover

Cover Options

FTO	 RC1	 RC2
		
10" diameter	4" dia.	4" x 12"
		
	Labeling on Band: BOTTLES & CANS	Labeling on Band: MIXED RECYCLING



### RECEPTACLE 287









**287-32** 32-GALLON, 240 LBS.


**287-32SH** 32-GALLON W/OPTIONAL STEEL SHIELD, 268 LBS.

Emptying Method: Side door emptying, HDPE Liners

- Optional liner-concealing shield (shown)
- Recycle color coding and labeling available
- Labeling not available on any textured powder coat finishes
- Labeling located on band beneath cover

Cover Options

SO	 RC1	 RC2
		
5" x 16"	4" dia.	4" x 12"
		
	Labeling on Band: BOTTLES & CANS	Labeling on Band: MIXED RECYCLING







**436-40SH** in Charcoal w/Recycle Color Cover with shield



**437-40SH** in Charcoal w/Recycle Color Cover with shield

## RECEPTACLE 436


**436-40** TWO 20-GAL. LINERS, 239 LBS.

**436-40SH** TWO 20-GAL. LINERS W/OPTIONAL STEEL SHIELD, 267 LBS.

Emptying Method: Side door emptying, HDPE Liners

- Various color and hole shape combinations available
- Labeling not available on any textured powder coat finishes

Hole Shape Options



Side door emptying

## RECEPTACLE 437



**437-40** TWO 20-GAL. LINERS, 273 LBS.

**437-40SH** TWO 20-GAL. LINERS W/OPTIONAL STEEL SHIELD, 301 LBS.

Emptying Method: Side door emptying, HDPE Liners

- Various color and hole shape combinations available
- Labeling not available on any textured powder coat finishes

Hole Shape Options




Side door emptying



434-72SH in Charcoal w/Recycle Color Cover with shield

#### Lid Combinations for Recycling 2, 3 or 4 Materials



## RECEPTACLE 434

**434-64** TWO OPENINGS, TWO 32-GAL. LINERS, 455 LBS.

**434-64SH** TWO OPENINGS, TWO 32-GAL. LINERS W/ SHIELD, 498 LBS.

**434-72** THREE OPENINGS, ONE 32-GAL. & TWO 20-GAL. LINERS, 460 LBS.


**434-72SH** THREE OPENINGS, ONE 32-GAL. & TWO 20-GAL. LINERS W/SHIELD, 503 LBS.

**434-80** FOUR OPENINGS, FOUR 20-GAL. LINERS, 464 LBS.


**434-80SH** FOUR OPENINGS, FOUR 20-GAL. LINERS W/ SHIELD, 507 LBS.

Emptying Method: Side door emptying, HDPE Liners

Hole Shape Options



- 2 liner access doors
- Labeling not available on any textured powder coat finishes



## RECEPTACLE 435

**435-64** TWO OPENINGS, TWO 32-GAL. LINERS, 520 LBS.

**435-64SH** TWO OPENINGS, TWO 32-GAL. LINERS W/ SHIELD, 563 LBS.

**435-72** THREE OPENINGS, ONE 32-GAL. & TWO 20-GAL. LINERS, 525 LBS.


**435-72SH** THREE OPENINGS, ONE 32-GAL. & TWO 20-GAL. LINERS W/SHIELD, 568 LBS.

**435-80** FOUR OPENINGS, FOUR 20-GAL. LINERS, 529 LBS.


**435-80SH** FOUR OPENINGS, FOUR 20-GAL. LINERS W/ SHIELD, 573 LBS.

Emptying Method: Side door emptying, HDPE Liners

Hole Shape Options




- 2 liner access doors
- Labeling not available on any textured powder coat finishes



435-72SH in Charcoal w/Recycle Color Cover with shield

#### Lid Combinations for Recycling 2, 3 or 4 Materials





## RECEPTACLE 170



**170-32** 32-GALLON, 126 LBS.

**170-40-RC** 40-GALLON SPLIT STREAM RECYCLE, 140 LBS.

Emptying Method: Hinged cover, HDPE liner

Listed Options

Additional Cover Options



## RECEPTACLE 41

Douglas Fir slats

**41-22D** 22-GALLON, 88 LBS.

**41-32D** 32-GALLON, 113 LBS.

**41-40D-RC** 40-GALLON, SPLIT STREAM RECYCLE, 122 LBS.

Ipe slats

**41-22I** 22-GALLON, 116 LBS.

**41-32I** 32-GALLON, 151 LBS.

**41-40I-RC** 40-GALLON SPLIT STREAM RECYCLE, 160 LBS.

Thermally Modified Red Oak slats

**41-22TMR** 22-GALLON, 88 LBS.

**41-32TMR** 32-GALLON, 113 LBS.

**41-40TMR-RC** 40-GALLON SPLIT STREAM RECYCLE, 122 LBS.

Recycled Plastic slats

**41-22PL** 22-GALLON, 94 LBS.



**41-32PL** 32-GALLON, 120 LBS.

**41-40PL-RC** 40-GALLON SPLIT STREAM RECYCLE, 129 LBS.


Mounting Options: Embedment (S-1) and Surface Mount (S-2)

Listed Options

Additional Cover Options



MOUNTING OPTIONS





Shown in Black finish/Cedar plastic

## RECEPTACLE 70


### Top Deposit

- 70-22D** 22-GAL., DOUGLAS FIR, 109 LBS.
- 70-22I** 22-GAL., IPE, 154 LBS.
- 70-22TMR** 22-GAL., THERM MODIFIED OAK, 117 LBS.
- 70-22PL** 22-GAL., RECYCLED PLASTIC, 119 LBS.
- 70-22TX** 22-GAL., WG RECYCLED PLASTIC, 119 LBS.
- 70-32TD** 32-GAL., DOUGLAS FIR, 118 LBS.
- 70-32TI** 32-GAL., IPE, 154 LBS.
- 70-32TTMR** 32-GAL., THERM MODIFIED OAK, 130 LBS.
- 70-32TPL** 32-GAL., RECYCLED PLASTIC, 128 LBS.
- 70-32TTX** 32-GAL., WG RECYCLED PLASTIC, 128 LBS.
- 70-40D** 40-GAL., SPLIT STREAM RECYCLE, DOUGLAS FIR, 153 LBS.
- 70-40I** 40-GAL., SPLIT STREAM RECYCLE, IPE, 214 LBS.
- 70-40TMR** 40-GAL., SPLIT STREAM RECYCLE, THERM MODIFIED OAK, 154 LBS.
- 70-40PL** 40-GAL., SPLIT STREAM RECYCLE, RECYCLED PLASTIC, 169 LBS.
- 70-40TX** 40-GAL., SPLIT STREAM RECYCLE, WG RECYCLED PLASTIC, 165 LBS.



### Side Deposit

- 70-22D-SO** 22-GAL., DOUGLAS FIR, 120 LBS.
- 70-22I-SO** 22-GAL., IPE, 176 LBS.
- 70-22TMR-SO** 22-GAL., THERM MODIFIED OAK, 147 LBS.
- 70-22PL-SO** 22-GAL., RECYCLED PLASTIC, 133 LBS.
- 70-22TX-SO** 22-GAL., WG RECYCLED PLASTIC, 133 LBS.
- 70-32TD-SO** 32-GAL., DOUGLAS FIR, 135 LBS.
- 70-32TI-SO** 32-GAL., IPE, 201 LBS.
- 70-32TTMR-SO** 32-GAL., THERM MODIFIED OAK, 147 LBS.
- 70-32TPL-SO** 32-GAL., RECYCLED PLASTIC, 147 LBS.
- 70-32TTX-SO** 32-GAL., WG RECYCLED PLASTIC, 147 LBS.
- 70-40D-SO** 40-GAL. SPLIT STREAM RECYCLE, DOUGLAS FIR, 185 LBS.
- 70-40I-SO** 40-GAL., SPLIT STREAM RECYCLE, IPE, 257 LBS.
- 70-40TMR-SO** 40-GAL., SPLIT STREAM RECYCLE, THERM MODIFIED OAK, 197 LBS.
- 70-40PL-SO** 40-GAL., SPLIT STREAM RECYCLE, RECYCLED PLASTIC, 200 LBS.
- 70-40TX-SO** 40-GAL., SPLIT STREAM RECYCLE, WG RECYCLED PLASTIC, 200 LBS.

### Listed Options



### Additional Cover Options





## PERSONALIZED RECEPTACLE 200/300

The "200" and "300" series receptacles allow custom laser cut designs to be emblazoned onto the side of the receptacle.

**200 SERIES** 32-GALLON PERSONALIZED RECEPTACLE WITH STEEL SHIELD, TOP EMPTYING

**300 SERIES** 32-GALLON PERSONALIZED RECEPTACLE WITH STEEL SHIELD, SIDE DOOR EMPTYING

Standard Cover | Additional Cover Options



Standard



RC




BT



DM

*Note: Available with 40 RC split liners and recycle lid. Contact your local DuMor Representative for pricing*



300 Series  
side opening door

### EXAMPLES



## RECEPTACLES FOUND IN THE COLLECTIONS SECTION



p. 15



p. 19



p. 23



p. 25



p. 29



p. 41



p. 43



p. 45



p. 51



p. 53



p. 55



p. 59







# CHAIRS AND TABLES



510-20I, 510-20INA, and 514-50I shown in Charcoal and RAL selection

## CHAIR 510

Without Armrests

**510-20INA** CHAIR, IPE SEAT, W/O ARMS, 21 LBS.

**510-20TMRNA** CHAIR, THERMALLY MODIFIED RED OAK SEAT, W/O ARMS, 20 LBS.

**510-20TXNA** CHAIR, WOOD GRAIN RECYCLED PLASTIC SEAT, W/O ARMS, 17 LBS.

With Armrests


**510-20I** CHAIR, IPE SEAT, W/ARMS, 23 LBS.

**510-20TMR** CHAIR, THERMALLY MODIFIED RED OAK SEAT, W/ARMS, 22 LBS.

**510-20TX** CHAIR, WOOD GRAIN RECYCLED PLASTIC SEAT, W/ARMS, 20 LBS.

- Welded aluminum

- Stackable







Wood or Recycled  
Plastic lumber



Solid Metal



Laser cut



## TABLE 514

**514-30I** 30" TABLE, IPE, 79 LBS.

**514-30TMR** 30" TABLE, THERMALLY MODIFIED RED OAK, 77 LBS.

**514-30TX** 30" TABLE, WOOD GRAIN RECYCLED PLASTIC, 72 LBS.

**514-30HS** 30" TABLE, LASER CUT METAL, 119 LBS.

**514-30S** 30" TABLE, SOLID METAL, 119 LBS.

**514-50I** 5' TABLE, IPE, 130 LBS.

**514-50TMR** 5' TABLE, THERMALLY MODIFIED RED OAK, 125 LBS.

**514-50TX** 5' TABLE, WOOD GRAIN RECYCLED PLASTIC, 115 LBS.

**514-50HS** 5' TABLE, LASER CUT METAL, 254 LBS.

**514-50S** 5' TABLE, SOLID METAL, 262 LBS.

• Steel table frame

## TABLE 485

**485-30I** 30" TABLE, IPE, 81 LBS.

**485-30TMR** 30" TABLE, THERMALLY MODIFIED RED OAK, 81 LBS.

**485-30TX** 30" TABLE, WOOD GRAIN RECYCLED PLASTIC, 75 LBS.

**485-30** 30" TABLE, STEEL, 93 LBS.

• Steel table base

## BENCH 513

**513-40I** 4' BENCH, IPE SEAT, 40 LBS.





**513-40TMR** 4' BENCH, THERMALLY MODIFIED RED OAK, 38 LBS.

**513-40TX** 4' BENCH, WOOD GRAIN RECYCLED PLASTIC SEAT, 34 LBS.

• Welded aluminum



513-40I and 514-50I shown in Recycled Red and Charcoal





512-40I, 512-20INA, 512-20I in RAL selection and 516-40I shown in Textured Charcoal

## CHAIR 512

Without Armrests

**512-20INA** LOUNGE CHAIR, IPE SEAT, W/O ARMS, 23 LBS.

**512-20TMRNA** LOUNGE CHAIR, THERMALLY MODIFIED RED OAK SEAT, W/O ARMS, 22 LBS.

**512-20TXNA** LOUNGE CHAIR, WOOD GRAIN RECYCLED PLASTIC SEAT, W/O ARMS, 19 LBS.

**512-40INA** 4' LOUNGE BENCH, IPE SEAT, W/O ARMS, 53 LBS.

**512-40TMRNA** 4' LOUNGE BENCH, THERMALLY MODIFIED RED OAK SEAT, W/O ARMS, 51 LBS.

**512-40TXNA** 4' LOUNGE BENCH, WOOD GRAIN RECYCLED PLASTIC SEAT, W/O ARMS, 42 LBS.

With Armrests

**512-20I** LOUNGE CHAIR, IPE SEAT, W/ARMS, 26 LBS.

**512-20TMR** LOUNGE CHAIR, THERMALLY MODIFIED RED OAK SEAT, W/ARMS, 25 LBS.

**512-20TX** LOUNGE CHAIR, WOOD GRAIN RECYCLED PLASTIC SEAT, W/ARMS, 22 LBS.

**512-40I** 4' LOUNGE BENCH, IPE SEAT, W/ARMS, 55 LBS.

**512-40TMR** 4' LOUNGE BENCH, THERMALLY MODIFIED RED OAK SEAT, W/ARMS, 53 LBS.

**512-40TX** 4' LOUNGE BENCH, WOOD GRAIN RECYCLED PLASTIC SEAT, W/ARMS, 44 LBS.

• Welded aluminum



## TABLE 516

**516-40I** 4' COFFEE TABLE, IPE, 76 LBS.

**516-40TMR** 4' COFFEE TABLE, T.M. RED OAK SEAT, 73 LBS.

**516-40TX** 4' COFFEE TABLE, W.G. RECYCLED PLASTIC, 69 LBS.

**516-40HS** 4' COFFEE TABLE, LASER CUT METAL, 150 LBS.

**516-40S** 4' COFFEE TABLE, SOLID METAL, 154 LBS.





Wood or Recycled  
Plastic lumber



Solid Metal



Laser Cut







511-20I and 515-50I shown in Black

## STOOL 511

**511-20I** BAR HEIGHT STOOL, IPE SEAT, 19 LBS.

**511-20TMR** BAR HEIGHT STOOL, THERMALLY MODIFIED RED OAK SEAT, 18 LBS.

**511-20TX** BAR HEIGHT STOOL, WOOD GRAIN RECYCLED PLASTIC SEAT, 17 LBS.

- Welded aluminum
- 29.5" seat height
- Stackable



## TABLE 515

**515-50I** 5' BAR HEIGHT TABLE, IPE, 152 LBS.

**515-50TMR** 5' BAR HEIGHT TABLE, THERMALLY MODIFIED RED OAK SEAT, 147 LBS.

**515-50TX** 5' BAR HEIGHT TABLE, WOOD GRAIN RECYCLED PLASTIC, 137 LBS.

**515-50HS** 5' BAR HEIGHT TABLE, LASER CUT METAL, 276 LBS.

**515-50S** 5' BAR HEIGHT TABLE, SOLID METAL, 284 LBS.

- 42" tall steel table






Wood or Recycled  
Plastic lumber



Solid Metal



Laser Cut





483-20INA and 484-30 Shown in White



483-20HSNA Shown in Recycle Red



483-20HS Shown in Charcoal



484-30 Shown in White

## CHAIR 483

**483-20INA** CHAIR, IPE SEAT, W/O ARMRESTS, 31 LBS.

**483-20I** CHAIR, IPE SEAT, W/ARMRESTS, 34 LBS.



**483-20TMRNA** CHAIR, THERMALLY MODIFIED RED OAK SEAT, W/O ARMRESTS, 56 LBS.

**483-20TMR** CHAIR, THERMALLY MODIFIED RED OAK SEAT, W/ARMRESTS, 63 LBS.

**483-20HSNA** CHAIR, STEEL SEAT, W/O ARMRESTS, 33 LBS.

**483-20HS** CHAIR, STEEL SEAT, W/ARMRESTS, 36 LBS.

- All-welded construction steel chair
- Stackable



## TABLE 484


**484-30** 30" TABLE, STEEL, 57 LBS.

**484-36** 36" TABLE, STEEL, 73 LBS.

**484-30PL** 30" TABLE, RECYCLED PLASTIC, 61 LBS.

**484-36PL** 36" TABLE, RECYCLED PLASTIC, 67 LBS.

- Optional contrasting colors







481-20HS Shown in Argento and White and 482-42 shown in Argento



481-20INA Shown in Argento



481-20HSNA Shown in Argento



482-42 Shown in Argento

## CHAIR 481

With Armrests

**481-20HS** CHAIR, STEEL SEAT, W/ARMS, 61 LBS.

**481-20I** CHAIR, IPE SEAT, W/ARMS, 64 LBS.

**481-20TMR** CHAIR, THERMALLY MODIFIED RED OAK SEAT, W/ARMS, 63 LBS.

**481-20TX** CHAIR, W.G. RECYCLED PLASTIC, W/ARMS, 54 LBS.





Without Armrests

**481-20HSNA** CHAIR, STEEL SEAT, W/O ARMS, 54 LBS.

**481-20INA** CHAIR, IPE SEAT, W/O ARMS, 57 LBS.

**481-20TMRNA** CHAIR, THERMALLY MODIFIED RED OAK SEAT, W/O ARMS, 56LBS.

**481-20TXNA** CHAIR, W.G. RECYCLED PLASTIC, W/O ARMS, 47 LBS.




## TABLE 482

**482-36** 36" TABLE, STEEL, 101 LBS.

**482-42** 42" TABLE, STEEL, 114 LBS.

- Umbrella hole upon request, additional cost



Ø36.25" Tabletop



Ø42" Tabletop



296HS Shown in Textured Charcoal

## TABLE 296

### Ipe Seats

**296-36-20I** 36" TABLE, 2 SEATS, IPE, 200 LBS.

**296-36-40I** 36" TABLE, 4 SEATS, IPE, 300 LBS.

**296-42-20I** ADA ACCESSIBLE 42" TABLE, 2 SEATS, 213 LBS.

**296-42-30I** ADA ACCESSIBLE 42" TABLE, 3 SEATS, 263 LBS.

**296-42-40I** 42" TABLE, 4 SEATS, IPE, 313 LBS.

### Thermally Modified Red Oak Seats

**296-36-20TMR** 36" TABLE, 2 SEATS, TM RED OAK, 194 LBS.

**296-36-40TMR** 36" TABLE, 4 SEATS, TM RED OAK, 290 LBS.

**296-42-20TMR** ADA ACCESSIBLE 42" TABLE, 2 SEATS, 203 LBS.

**296-42-30TMR** ADA ACCESSIBLE 42" TABLE, 3 SEATS, 249 LBS.

**296-42-40TMR** 42" TABLE, 4 SEATS, TM RED OAK, 294 LBS.

### Wood Grain Recycled Plastic Seats

**296-36-20TX** 36" TABLE, 2 SEATS, WG PLASTIC, 190 LBS.

**296-36-40TX** 36" TABLE, 4 SEATS, WG PLASTIC, 281 LBS.

**296-42-20TX** ADA ACCESSIBLE 42" TABLE, 2 SEATS, 203 LBS.

**296-42-30TX** ADA ACCESSIBLE 42" TABLE, 3 SEATS, 249 LBS.

**296-42-40TX** 42" TABLE, 4 SEATS, WG PLASTIC, 294 LBS.

### Steel Seats

**296-36-20HS** 36" TABLE, 2 SEATS, STEEL, 200 LBS.

**296-36-40HS** 36" TABLE, 4 SEATS, STEEL, 301 LBS.

**296-42-20HS** ADA ACCESSIBLE 42" TABLE, 2 SEATS, 213 LBS.

**296-42-30HS** ADA ACCESSIBLE 42" TABLE, 3 SEATS, 264 LBS.

**296-42-40HS** 42" TABLE, 4 SEATS, STEEL, 314 LBS.



Mounting Options: Embedment (S-1), Surface Mount (S-2), and Sub Floor (S-4)

- Umbrella hole upon request, additional cost

### MOUNTING OPTIONS



296 Wood Seat or Plastic







297I Shown in Textured Charcoal/Ipe

## TABLE 297

### Ipe Seats

**297-36-20I** 36" TABLE, 2 SEATS, IPE, 170 LBS.

**297-36-40I** 36" TABLE, 4 SEATS, IPE, 240 LBS.

**297-42-20I** ADA ACCESSIBLE 42" TABLE, 2 SEATS, 182 LBS.

**297-42-30I** ADA ACCESSIBLE 42" TABLE, 3 SEATS, 218 LBS.

**297-42-40I** 42" TABLE, 4 SEATS, IPE, 253 LBS.

### Thermally Modified Red Oak Seats

**297-36-20TMR** 36" TABLE, 2 SEATS, TM RED OAK, 190 LBS.

**297-36-40TMR** 36" TABLE, 4 SEATS, TM RED OAK, 281 LBS.

**297-42-20TMR** ADA ACCESSIBLE 42" TABLE, 2 SEATS, 203 LBS.

**297-42-30TMR** ADA ACCESSIBLE 42" TABLE, 3 SEATS, 249 LBS.

**297-42-40TMR** 42" TABLE, 4 SEATS, TM RED OAK, 294 LBS.

### Wood Grain Recycled Plastic Seats

**297-36-20TX** 36" TABLE, 2 SEATS, WG PLASTIC, 165 LBS.

**297-36-40TX** 36" TABLE, 4 SEATS, WG PLASTIC, 230 LBS.

**297-42-20TX** ADA ACCESSIBLE 42" TABLE, 2 SEATS, 178 LBS.

**297-42-30TX** ADA ACCESSIBLE 42" TABLE, 3 SEATS, 211 LBS.

**297-42-40TX** 42" TABLE, 4 SEATS, WG PLASTIC, 243 LBS.

### Steel Seats

**297-36-20HS** 36" TABLE, 2 SEATS, STEEL, 172 LBS.

**297-36-40HS** 36" TABLE, 4 SEATS, STEEL, 244 LBS.

**297-42-20HS** ADA ACCESSIBLE 42" TABLE, 2 SEATS, 184 LBS.



**297-42-30HS** ADA ACCESSIBLE 42" TABLE, 3 SEATS, 221 LBS.

**297-42-40HS** 42" TABLE, 4 SEATS, STEEL, 257 LBS.


Mounting Options: Embedment (S-1), Surface Mount (S-2), and Sub Floor (S-4)

- Umbrella hole upon request, additional cost

### MOUNTING OPTIONS



297 Steel Seat





**299-60HS** Shown in Black

# TABLE SET 299

Ipe Surfaces

**299-60I** 6' LONG TABLE SET, IPE, 568 LBS.

**299-60-1I** ADA ACCESSIBLE TABLE SET, IPE, 556 LBS.

**299-66I** 6' TABLE SET, 6 SEATS, IPE, 687 LBS.

Thermally Modified Red Oak Surfaces

**299-60TMR** 6' LONG TABLE SET, TM RED OAK, 506 LBS.

**299-60-1TMR** ADA ACCESSIBLE TABLE SET, TM RED OAK, 518 LBS.

**299-66TMR** 6' TABLE SET, 6 SEATS, TM RED OAK, 637 LBS.

Recycled Plastic Surfaces

**299-60PL** 6' LONG TABLE SET, RECYCLED PLASTIC, 515 LBS.

**299-60-1PL** ADA ACCESSIBLE TABLE SET, RECYCLED PLASTIC, 509 LBS.

**299-66PL** 6' TABLE SET, 6 SEATS, RECYCLED PLASTIC, 642 LBS.

Wood Grain Recycled Plastic Surfaces

**299-60TX** 6' LONG TABLE SET, WOOD GRAIN PLASTIC, 515 LBS.

**299-60-1TX** ADA ACCESSIBLE TABLE SET, WOOD GRAIN PLASTIC, 509 LBS.

**299-66TX** 6' TABLE SET, 6 SEATS, WOOD GRAIN PLASTIC, 642 LBS.

Steel Surfaces

**299-60HS** 6' LONG TABLE SET, STEEL, 540 LBS.

**299-60-1HS** ADA ACCESSIBLE TABLE SET, STEEL, 531 LBS.

**299-66HS** 6' TABLE SET, 6 SEATS, STEEL, 661 LBS.

Mounting Options: Embedment (S-1), Surface Mount (S-2), and Free Standing (S-5)

• Umbrella hole upon request, additional cost



Ipe, Thermally Modified Red Oak, or Recycled Plastic

## MOUNTING OPTIONS




**S-1**  
EMBEDMENT



**S-2**  
SURFACE MOUNT



**S-5**  
FREE STANDING





**298-60HS** Shown in Black

## TABLE SET 298

Ipe Surfaces

**298-60I** 6' LONG TABLE SET, IPE, 500 LBS.

**298-60-2I** ADA ACCESSIBLE TABLE SET, IPE, 500 LBS.

Thermally Modified Red Oak Surfaces

**298-60TMR** 6' LONG TABLE SET, TM RED OAK, 450LBS.

**298-60-2TMR** ADA ACCESSIBLE TABLE SET, TM RED OAK, 450 LBS.

Recycled Plastic Surfaces

**298-60PL** 6' LONG TABLE SET, RECYCLED PLASTIC, 447 LBS.

**298-60-2PL** ADA ACCESSIBLE TABLE SET, RECYCLED PLASTIC, 447 LBS.

Wood Grain Recycled Plastic Surfaces

**298-60TX** 6' LONG TABLE SET, WOOD GRAIN PLASTIC, 447 LBS.

**298-60-2TX** ADA ACCESSIBLE TABLE SET, WOOD GRAIN PLASTIC, 447 LBS.

Steel Surfaces

**298-60HS** 6' LONG TABLE SET, STEEL, 472 LBS.

**298-60-2HS** ADA ACCESSIBLE TABLE SET, STEEL, 472 LBS.





Support Options: Embedment (S-1), Surface Mount (S-2), and Sub Floor (S-4)

• Umbrella hole upon request, additional cost



Ipe, Thermally Modified Red Oak, or Recycled Plastic

### MOUNTING OPTIONS





Five seat **294I** Shown in Textured Charcoal/Ipe



**294** Steel Seat



ADA Accessible **294-30HS**



Four seat **294HS** shown in Textured Charcoal



Six seat **294HS** shown in Textured Charcoal

## TABLE 294

### Ipe Seats

**294-30I** ADA ACCESSIBLE 42" TABLE, 3 SEATS, 286 LBS.

**294-40I** 42" TABLE, 4 SEATS, IPE, 328 LBS.

**294-50I** 42" TABLE, 5 SEATS, IPE, 394 LBS.

**294-60I** 42" TABLE, 6 SEATS, IPE, 459 LBS.

### Thermally Modified Red Oak Seats

**294-30TMR** ADA ACCESSIBLE 42" TABLE, 3 SEATS, 280 LBS.

**294-40TMR** 42" TABLE, 4 SEATS, TM RED OAK, 319 LBS.

**294-50TMR** 42" TABLE, 5 SEATS, TM RED OAK, 383 LBS.

**294-60TMR** 42" TABLE, 6 SEATS, TM RED OAK, 456 LBS.

### Wood Grain Recycled Plastic Seats

**294-30TX** ADA ACCESSIBLE 42" TABLE, 3 SEATS, 272 LBS.

**294-40TX** 42" TABLE, 4 SEATS, WG PLASTIC, 308 LBS.

**294-50TX** 42" TABLE, 5 SEATS, WG PLASTIC, 370 LBS.

**294-60TX** 42" TABLE, 6 SEATS, WG PLASTIC, 430 LBS.

### Steel Seats



**294-30HS** ADA ACCESSIBLE 42" TABLE, 3 SEATS, 287 LBS.

**294-40HS** 42" TABLE, 4 SEATS, STEEL, 328 LBS.

**294-50HS** 42" TABLE, 5 SEATS, STEEL, 396 LBS.

**294-60HS** 42" TABLE, 6 SEATS, STEEL, 460 LBS.

- Umbrella hole upon request, additional cost





Five seat **295I** Shown in Textured Charcoal/Ipe

## TABLE 295

## Ipe Seats

- 295-30I** ADA ACCESSIBLE 42" TABLE, 3 SEATS, 241 LBS.  
**295-40I** 42" TABLE, 4 SEATS, IPE, 268 LBS.  
**295-50I** 42" TABLE, 5 SEATS, IPE, 318 LBS.  
**295-60I** 42" TABLE, 6 SEATS, IPE, 368 LBS.

## Thermally Modified Red Oak Seats

- 295-30TMR** ADA ACCESSIBLE 42" TABLE, 3 SEATS, 236 LBS.  
**295-40TMR** 42" TABLE, 4 SEATS, TM RED OAK, 260 LBS.  
**295-50TMR** 42" TABLE, 5 SEATS, TM RED OAK, 309 LBS.  
**295-60TMR** 42" TABLE, 6 SEATS, TM RED OAK, 356 LBS.


## Wood Grain Recycled Plastic Seats

- 295-30TX** ADA ACCESSIBLE 42" TABLE, 3 SEATS, 234 LBS.  
**295-40TX** 42" TABLE, 4 SEATS, WG PLASTIC, 259 LBS.  
**295-50TX** 42" TABLE, 5 SEATS, WG PLASTIC, 306 LBS.  
**295-60TX** 42" TABLE, 6 SEATS, WG PLASTIC, 354 LBS.

## Steel Seats

- 295-30HS** ADA ACCESSIBLE 42" TABLE, 3 SEATS, 244 LBS.  
**295-40HS** 42" TABLE, 4 SEATS, STEEL, 272 LBS.  
**295-50HS** 42" TABLE, 5 SEATS, STEEL, 323 LBS.  
**295-60HS** 42" TABLE, 6 SEATS, STEEL, 374 LBS.

- Umbrella hole upon request, additional cost

**295** Steel Seat



Shown in Argento


## TABLE 101

**101-20** TABLE, 2 SEATS, 242 LBS.

**101-30** ADA ACCESSIBLE TABLE, 3 SEATS, 297 LBS.

**101-40** TABLE, 4 SEATS, 344 LBS.

- Umbrella hole upon request, additional cost







Shown in Black

## TABLE 448

**448-32** TABLE, 35-1/2" SQ, 2 SEATS, 287 LBS.

**448-33** TABLE, 35-1/2" SQ, 3 SEATS, 337 LBS.

**448-34** TABLE, 35-1/2" SQ, 4 SEATS, 387 LBS.

**448-42** ADA TABLE, 47-1/2" SQ, 2 SEATS, 414 LBS.

**448-43** ADA TABLE, 47-1/2" SQ, 3 SEATS, 476 LBS.

**448-44** TABLE, 47-1/2" SQ, 4 SEATS, 538 LBS.

For optional game board, additional cost

Mounting Options: Embedment (S-1), Surface Mount (S-2)\*, and Sub Floor (S-4)\*


\* For options S-2 and S-4, additional cost

• Umbrella hole upon request, additional cost




448 with game board

### MOUNTING OPTIONS

S-1  
EMBEDMENTS-2  
SURFACE MOUNTS-4  
SUB FLOOR

35.5" SQ Tabletop



47.5" SQ Tabletop



Shown in Hunter Green finish/Grey plastic

## TABLE 76

Douglas Fir slats

**76-22D** ADA, 2 SEATS, 2" X 4" SLATS, 296 LBS.

**76-32D** ADA, 2 SEATS, 3" X 4" SLATS, 358 LBS.

**76-23D** ADA, 3 SEATS, 2" X 4" SLATS, 356 LBS.

**76-33D** ADA, 3 SEATS, 3" X 4" SLATS, 427 LBS.

**76-24D** 4 SEATS, 2" X 4" SLATS, 416 LBS.

**76-34D** 4 SEATS, 3" X 4" SLATS, 496 LBS.

Ipe slats

**76-22I** ADA, 2 SEATS, 2" X 4" SLATS, 366 LBS.

**76-23I** ADA, 3 SEATS, 2" X 4" SLATS, 437 LBS.

**76-24I** 4 SEATS, 2" X 4" SLATS, 507 LBS.

Thermally Modified Red Oak slats

**76-22TMR** ADA, 2 SEATS, 2" X 4" SLATS, 296 LBS.

**76-23TMR** ADA, 3 SEATS, 2" X 4" SLATS, 356 LBS.

**76-24TMR** 4 SEATS, 2" X 4" SLATS, 416 LBS.

Recycled Plastic slats

**76-22PL** ADA, 2 SEATS, 2" X 4" SLATS, 333 LBS.

**76-32PL** ADA, 2 SEATS, 3" X 4" SLATS, 386 LBS.

**76-23PL** ADA, 3 SEATS, 2" X 4" SLATS, 398 LBS.

**76-33PL** ADA, 3 SEATS, 3" X 4" SLATS, 459 LBS.

**76-24PL** 4 SEATS, 2" X 4" SLATS, 462 LBS.

**76-34PL** 4 SEATS, 3" X 4" SLATS, 531 LBS.

Wood Grain Recycled Plastic slats

**76-22TX** ADA, 2 SEATS, 2" X 4" SLATS, 333 LBS.

**76-23TX** ADA, 3 SEATS, 2" X 4" SLATS, 398 LBS.


**76-24TX** 4 SEATS, 2" X 4" SLATS, 462 LBS.

Mounting Options: Embedment (S-1), Surface Mount (S-2)\*, and Sub Floor (S-4)\*

\* For options S-2 and S-4, additional cost

• Umbrella hole upon request, additional cost

• Four foot square table top



### MOUNTING OPTIONS

**S-1**  
EMBEDMENT

**S-2**  
SURFACE MOUNT

**S-4**  
SUB FLOOR





Shown in Blue finish/Cedar plastic



Game Board

## GAME TABLE 78

Douglas Fir slats

**78-32D** 2 SEATS, 3" X 4" SLATS, 233 LBS.

**78-33ADAD** ADA ACCESSIBLE, 3 SEATS, 318 LBS.

**78-34D** 4 SEATS, 3" X 4" SLATS, 368 LBS.

Recycled Plastic slats

**78-32PL** 2 SEATS, 3" X 4" SLATS, 245 LBS.


**78-33ADAPL** ADA ACCESSIBLE, 3 SEATS, 335 LBS.

**78-34PL** 4 SEATS, 3" X 4" SLATS, 387 LBS.

Mounting Options: Embedment (S-1), Surface Mount (S-2)\*, and Sub Floor (S-4)\*

\* For options S-2 and S-4, additional cost

• Umbrella hole upon request, additional cost



### MOUNTING OPTIONS





Shown in Juniper Green with Vertical Strap

## TABLE 464

### Table

**464-60VS** 6' TABLE, VERTICAL STRAP, 370 LBS.

**464-60HS** 6' TABLE, HORIZONTAL STRAP, 449 LBS.

**464-60RB** 6' TABLE, ROUND BAR, 410 LBS.

**464-60D** 6' TABLE, DOUGLAS FIR, 363 LBS.

**464-60I** 6' TABLE, IPE, 420 LBS.

**464-60TMR** 6' TABLE, THERMALLY MODIFIED RED OAK, 363 LBS.

**464-60PL** 6' TABLE, RECYCLED PLASTIC, 382 LBS.

**464-60TX** 6' TABLE, WOOD GRAIN RECYCLED PLASTIC, 382 LBS.

### ADA Accessible Table

**464-68VS** ADA ACCESSIBLE TABLE, VERTICAL STRAP, 404 LBS.

**464-68HS** ADA ACCESSIBLE TABLE, HORIZONTAL STRAP, 491 LBS.

**464-68RB** ADA ACCESSIBLE TABLE, ROUND BAR, 447 LBS.

**464-68D** ADA ACCESSIBLE TABLE, DOUGLAS FIR, 394 LBS.

**464-68I** ADA ACCESSIBLE TABLE, IPE, 462 LBS.

**464-68TMR** ADA ACCESSIBLE TABLE, THERMALLY MODIFIED RED OAK, 394 LBS.

**464-68PL** ADA ACCESSIBLE TABLE, RECYCLED PLASTIC, 411 LBS.

**464-68TX** ADA ACCESSIBLE TABLE, WOOD GRAIN RECYCLED PLASTIC, 411 LBS.



Vertical Strap



Horizontal Strap




Round Bar



Ipe, Douglas Fir, Thermally Modified Red Oak



Traditional and Wood Grain Recycled Plastic







Shown in Juniper Green with Vertical Strap

## TABLE 463

Two Seats

**463-20VS** 42" DIA. TABLE, 2 SEATS, VERTICAL STRAP, 291 LBS.

**463-20HS** 42" DIA. TABLE, 2 SEATS, HORIZONTAL STRAP, 315 LBS.

**463-20RB** 42" DIA. TABLE, 2 SEATS, ROUND BAR, 307 LBS.

**463-20D** 42" DIA. TABLE, 2 SEATS, DOUGLAS FIR, 301 LBS.

**463-20I** 42" DIA. TABLE, 2 SEATS, IPE, 311 LBS.

**463-20TMR** 42" DIA. TABLE, 2 SEATS, THERMALLY MODIFIED RED OAK, 301 LBS.

**463-20PL** 42" DIA. TABLE, 2 SEATS, RECYCLED PLASTIC, 302 LBS.

**463-20TX** 42" DIA. TABLE, 2 SEATS, WOOD GRAIN RECYCLED PLASTIC, 302 LBS.

Four Seats

**463-40VS** 42" DIA. TABLE, 4 SEATS, VERTICAL STRAP, 406 LBS.

**463-40HS** 42" DIA. TABLE, 4 SEATS, HORIZONTAL STRAP, 454 LBS.

**463-40RB** 42" DIA. TABLE, 4 SEATS, ROUND BAR, 442 LBS.

**463-40D** 42" DIA. TABLE, 4 SEATS, DOUGLAS FIR, 425 LBS.

**463-40I** 42" DIA. TABLE, 4 SEATS, IPE, 444 LBS.

**463-40TMR** 42" DIA. TABLE, 4 SEATS, THERMALLY MODIFIED RED OAK, 425 LBS.

**463-40PL** 42" DIA. TABLE, 4 SEATS, RECYCLED PLASTIC, 427 LBS.

**463-40TX** 42" DIA. TABLE, 4 SEATS, WOOD GRAIN RECYCLED PLASTIC, 427 LBS.



Vertical Strap



Horizontal Strap




Round Bar



Ipe, Douglas Fir, Thermally Modified Red Oak



Traditional and Wood Grain Recycled Plastic





100-60PL Shown in Black finish/Cedar plastic

## TABLE SET 75/100

Douglas Fir slats

**75-60D** 6' TABLE, 507 LBS.

**75-80D** 8' TABLE, 570 LBS.

**75-68-1D** ADA ACCESSIBLE TABLE, 544 LBS.

Recycled Plastic slats

**100-60PL** 6' TABLE, 603 LBS.

**100-80PL** 8' TABLE, 695 LBS.

**100-68-1PL** ADA ACCESSIBLE TABLE, 654 LBS.

Mounting Options: Embedment (S-1), Surface Mount (S-2), and Sub Floor (S-4)

- Umbrella hole upon request, additional cost




75-60D Shown in Bronze finish


### MOUNTING OPTIONS





**S-1**  
EMBEDMENT



**S-2**  
SURFACE MOUNT



**S-4**  
SUB FLOOR







**TABLE 72**

- 2-3/8" O.D. galvanized steel frames
- 2" x 10" nominal top and seats (see chart for sizes and material)
- Special frames for Recycled Plastic
- Umbrella hole upon request, additional cost



**TABLE 71**

- 1-5/8" O.D. steel pipe frames
- 2" x 10" nominal top and seats (see chart for sizes and material)
- Special frames for Recycled Plastic
- Umbrella hole upon request, additional cost



**TABLE 77**

- 2-3/8" O.D. steel pipe frames
- 2" x 10" nominal top and seats (see chart for sizes and material)
- Special frames for Recycled Plastic
- Umbrella hole upon request, additional cost

*\*When purchasing 77 Series Frames, please indicate 6' or 8' lumber.*

	GALVANIZED FRAME	POWDER COAT FRAME	HOT GALVANIZED FRAME	POWDER COAT FRAME	HOT GALVANIZED FRAME
6' Douglas Fir	<b>72-60D</b> 205 lbs.	<b>71-60D</b> 170 lbs.	<b>71-60HGD</b> 170 lbs.	<b>77-60D</b> 213 lbs.	<b>77-60HGD</b> 213 lbs.
8' Douglas Fir	<b>72-80D</b> 241 lbs.	<b>71-80D</b> 206 lbs.	<b>71-80HGD</b> 206 lbs.	<b>77-80D</b> 251 lbs.	<b>77-80HGD</b> 251 lbs.
ADA Accessible, Douglas Fir	<b>72-68-1D</b> 227 lbs.	<b>71-68-1D</b> 191 lbs.	<b>71-68-1HGD</b> 191 lbs.	<b>77-68-1D</b> 234 lbs.	<b>77-68-1HGD</b> 234 lbs.
6' Aluminum	<b>72-60A</b> 148 lbs.	<b>71-60A</b> 112 lbs.	<b>71-60HGA</b> 112 lbs.	<b>77-60A</b> 153 lbs.	<b>77-60HGA</b> 153 lbs.
8' Aluminum	<b>72-80A</b> 161 lbs.	<b>71-80A</b> 125 lbs.	<b>71-80HGA</b> 125 lbs.	<b>77-80A</b> 168 lbs.	<b>77-80HGA</b> 168 lbs.
ADA Accessible, Aluminum	<b>72-68-1A</b> 160 lbs.	<b>71-68-1A</b> 123 lbs.	<b>71-68-1HGA</b> 123 lbs.	<b>77-68-1A</b> 164 lbs.	<b>77-68-1HGA</b> 164 lbs.
6' Recycled Plastic	<b>72-60PL</b> 279 lbs.	<b>71-60PL</b> 243 lbs.	<b>71-60HGPL</b> 243 lbs.	<b>77-60PL</b> 284 lbs.	<b>77-60HGPL</b> 284 lbs.
8' Recycled Plastic	<b>72-80PL</b> 328 lbs.	<b>71-80PL</b> 292 lbs.	<b>71-80HGPL</b> 292 lbs.	<b>77-80PL</b> 334 lbs.	<b>77-80HGPL</b> 334 lbs.
ADA Accessible, Recycled Plastic	<b>72-68-1PL</b> 321 lbs.	<b>71-68-1PL</b> 284 lbs.	<b>71-68-1HGPL</b> 284 lbs.	<b>77-68-1PL</b> 324 lbs.	<b>77-68-1HGPL</b> 324 lbs.
Frames and Hardware Only	<b>72-20</b> 102 lbs.	<b>71-20</b> 67 lbs.	<b>71-20HG</b> 67 lbs.	<b>77-20</b> 111 lbs.	<b>77-20HG</b> 111 lbs.



Shown uncoated w/Grey plastic

**TABLE 156**

Recycled Plastic slats

**156-60PL** 6', TABLE, 187 LBS.

**156-80PL** 8', TABLE, 234 LBS.

**156-68-1PL** ADA ACCESSIBLE PICNIC TABLE, 214 LBS.

For powder coated frames, additional cost

- Aluminum frame
- Umbrella hole upon request, additional cost

SEE OTHER TABLE STYLES IN THE COLLECTIONS SECTION



p. 20



p. 57







PLANTERS,  
BIKE RACKS,  
GRILLS,  
ASH URNS,  
AND  
BOLLARDS



## PLANTER 440


**440-17X17S** ALL STEEL PLANTER, 17" X 17" SHORT, 66 LBS.

**440-17X32S** ALL STEEL PLANTER, 17" X 32" SHORT, 99 LBS.

**440-17X17T** ALL STEEL PLANTER, 17" X 17" TALL, 93 LBS.

**440-17X32T** ALL STEEL PLANTER, 17" X 32" TALL, 141 LBS.

- Only available in Textured Charcoal, Textured Grey, Textured Silver, Textured Black, and Textured Rust powder coat finishes



## PLANTER 441


**441-15X15S** ALL STEEL PLANTER, 15" X 15" SHORT, 56 LBS.

**441-15X30S** ALL STEEL PLANTER, 15" X 30" SHORT, 94 LBS.

**441-15X15T** ALL STEEL PLANTER, 15" X 15" TALL, 86 LBS.

**441-15X30T** ALL STEEL PLANTER, 15" X 30" TALL, 135 LBS.

- Only available in Textured Charcoal, Textured Grey, Textured Silver, Textured Black, and Textured Rust powder coat finishes








Shown in Deep Red

### PLANTER 114

**114-00** STEEL PLANTER, 108 LBS.

Add to unit price for self watering liner insert

- Complements Receptacles 84 and 157
- Sturdy polyethylene liner




Shown in Hunter Green

### PLANTER 431

**431-00** STEEL PLANTER, 86 LBS.

Add to unit price for self watering liner option

- Complements Receptacle 429
- Sturdy polyethylene liner



Shown in Bronze


### PLANTER 159

**159-00** STEEL PLANTER, 137 LBS.

**159-00SH** STEEL PLANTER W/OPTIONAL STEEL SHIELD, 148 LBS.

Add to unit price for self watering liner option

- Shown w/optional shield
- Complements Receptacle 158
- Sturdy polyethylene liner




Shown in Black

### PLANTER 184

**184-00** STEEL PLANTER, 118 LBS.

Add to unit price for self watering liner insert

- Sturdy polyethylene liner





Shown in Black



Shown in Argento

## BIKE RACK 290


Available in either powder coat finish 290-00 or hot dip galvanized 290-00HG

**S-1** EMBEDMENT, 34 LBS.

**S-2** SURFACE PLATE, 34 LBS.

**S-4** SUB FLOOR, 36 LBS.

- Mounting hardware included
- 2" SCH. 40 Round pipe



## BIKE RACK 291


Available in either powder coat finish 291-00 or hot dip galvanized 291-00HG

**S-1** EMBEDMENT, 30 LBS.

**S-2** SURFACE PLATE, 31 LBS.

**S-4** SUB FLOOR, 30 LBS.

- Mounting hardware included
- 2" SQ x 1/4" wall steel tube



Shown in Black



Shown in Argento

## BIKE RACK 292


Available in either powder coat finish 292-00 or hot dip galvanized 292-00HG

**S-1** EMBEDMENT, 33 LBS.

**S-2** SURFACE PLATE, 39 LBS.

**S-4** SUB FLOOR, 35 LBS.

- Mounting hardware included
- 2" SCH. 40 Round pipe



## BIKE RACK 293


Available in either powder coat finish 293-00 or hot dip galvanized 293-00HG

**S-1** EMBEDMENT, 29 LBS.

**S-2** SURFACE PLATE, 30 LBS.

**S-4** SUB FLOOR, 33 LBS.

- Mounting hardware included
- 2" SQ x 1/8" wall steel tube




MOUNTING OPTIONS






125-30 Shown in Black  
Shown with S-2 option covers



**BIKE RACK 125**  
2-7/8" O.D. Tubing



**BIKE RACK 130**  
2-3/8" O.D. Tubing

## BIKE RACK 125/130

Available in either powder coat finish or hot dip galvanized

**125-20** 2-7/8" O.D., HOLDS 5 BIKES, 97 LBS.

**125-30** 2-7/8" O.D., HOLDS 7 BIKES, 134 LBS.

**125-40** 2-7/8" O.D., HOLDS 9 BIKES, 170 LBS.

Mounting Options: S-1 and S-2

- Mounting hardware included

**130-20** 2-3/8" O.D., HOLDS 5 BIKES, 62 LBS.

**130-30** 2-3/8" O.D., HOLDS 7 BIKES, 85 LBS.

**130-40** 2-3/8" O.D., HOLDS 9 BIKES, 107 LBS.



Shown in Bronze  
Shown with S-2 option covers

## BIKE RACK 83

83-00G Galvanized Loop

**S-1** EMBEDMENT, 25 LBS.

**S-2** SURFACE PLATE, 32 LBS.

**S-4** SUB FLOOR, 28 LBS.




83-00 Powder Coated Loop

**S-1** EMBEDMENT, 31 LBS.

**S-2** SURFACE PLATE, 37 LBS.

**S-4** SUB FLOOR, 34 LBS.

- Mounting hardware included



MOUNTING OPTIONS

## BIKE RACKS




Shown in Hunter Green

### BIKE RACK 199

**199-00** SINGLE LOOP BIKE RACK, 24 LBS.

Mounting Options: S-1 and S-2

- Mounting hardware included



Shown in Juniper Green

### BIKE RACK 466

**466-60** STEEL BIKE RACK, 6 BIKES, 156 LBS.

- Mounting hardware included



Shown in Black  
Shown with S-2 option covers



Shown in Galvanized

### BIKE RACK 188

**188-05** 41-1/4" LONG, 5 OPENINGS, 61 LBS.

**188-07** 57-1/4" LONG, 7 OPENINGS, 70 LBS.

**188-09** 73-1/4" LONG, 9 OPENINGS, 79 LBS.

**188-11** 89-1/4" LONG, 11 OPENINGS, 89 LBS.

Mounting Options: S-1 and S-2\*

\* For support option S-2, additional cost

- Mounting hardware included

### BIKE RACK 81/82

Single-Side Entry Bike Rack

**81-50** 5' LONG, 4 OPENINGS, 103 LBS.

Dual-Side Entry Bike Rack


**82-50** 5' LONG, 8 OPENINGS, 118 LBS.

- Powder coated versions available, additional cost

- Mounting hardware included




S-1  
EMBEDMENT




S-2  
SURFACE MOUNT

MOUNTING OPTIONS



81- single sided



82- double sided





### GRILL 21 & 22

**21-00** EMBEDMENT, 83 LBS.

**22-00** FREE STANDING, 105 LBS.



### GRILL 24


**24-00** EMBEDMENT, 242 LBS.



Shown in Black

### ASH URN 80

**80-00** ALL-STEEL ASH URN, 51 LBS.



### ASH URN 423

**423-00** ASH URN, 20 LBS.

- Side mount design
- Fits most tapered DuMor receptacles

BOLLARDS



Shown in Black

BOLLARD 400

**400-36** 36" HIGH 4" SCHEDULE 40 STEEL BOLLARD, 65 LBS.

**400-42** 42" HIGH 4" SCHEDULE 40 STEEL BOLLARD, 71 LBS.

Support Options: S-1, S-2, and S-1SL\*

\* For Bollards with support option S-1SL (ground sleeve supplied w/cap), additional cost and add 43 lbs. to weight.



Shown in Juniper Green

BOLLARD 401

**401-36-2** 36" HIGH BIKE BOLLARD-2 LOOPS, 76 LBS.

**401-42-2** 42" HIGH BIKE BOLLARD-2 LOOPS, 81 LBS.

Support Options: S-1, S-2, and S-1SL\*

\* For Bollards with support option S-1SL (ground sleeve supplied w/cap), additional cost and add 43 lbs. to weight.



Shown in Argento

BOLLARD 402

**402-36** 36" HIGH 6" SQUARE STEEL BOLLARD, 114 LBS.

**402-42** 42" HIGH 6" SQUARE STEEL BOLLARD, 124 LBS.

Support Options: S-1, S-2, and S-1SL\*

\* For Bollards with support option S-1SL (ground sleeve supplied w/cap), additional cost and add 43 lbs. to weight.



Shown in Black


BOLLARD 451

**451-36** 36" HIGH ROUND BOLLARD, 140 LBS.

**451-42** 42" HIGH ROUND BOLLARD, 151 LBS.

Support Options: S-1, S-2, and S-1X Secure w/8" pipe\*

\* For Bollards with support option S-1X, additional cost and add 154 lbs. to weight.



MOUNTING OPTIONS



# CUSTOM PLAQUES



An attractive and enduring way to show sponsorship of a DuMor bench is with a dedication plaque. DuMor plaques are made of durable etched zinc with a bronze style finish. Zinc plaques are long lasting and offer versatility for etching detailed designs, crisp text, illustrations, and photo transfers. DuMor offers plaques in a wide range of sizes and shapes to meet specific needs. Most DuMor products can be fitted to display a dedication plaque; ask a DuMor Representative if your chosen product can accommodate a plaque to fit your specifications. Dedication plaques can be used in many ways including, remembrance of a loved one, company logo, town or city name, quotes, sports teams, school name, or family name. Given the versatility of DuMor dedication plaques on site furniture, many communities have had great success fully funding both benches and plaques with "Sponsor a Bench" programs which allow people to contribute to the community and place a message on a plaque.



*Black and white camera-ready artwork is required for logos or special graphics. (Note: All requests are subject to our review and approval.)*

- DuMor mounts plaques so they are flush with seating surfaces



## CUSTOM CURVED BENCHES

With decades of experience creating site specific curved and continuous benches, DuMor's custom product department can design benches to virtually any radius your space requires. Contact a DuMor Representative with your bench preference and dimensions, and we will design a custom bench for your approval.









# DUMOR CUSTOM PRODUCTS

In addition to our comprehensive selection of standard products, DuMor provides custom design and fabrication options to meet the needs of designers and architects whose requirements aren't always met by off-the-shelf site furnishings. Choose from a variety of high-quality raw materials including wood, steel, and recycled plastic, or customize with plaques and lettering options. DuMor's design flexibility makes creating a custom indoor or outdoor space easy and affordable. You'll see that DuMor's reputation for style and durability is reflected in every custom product. For more information on custom fabrication, please contact your local authorized DuMor Representative or call 800-598-4018.







6A-581-6-2PL



69-463-4OUT  
Umbrella by other



69-594-6-4AR



68-122-2AR



6A-251 w/440-24x60T



68-690-01





67-715



66-299-6



69-403 and 68-537



63-262 and 64-475-02



68-506-31-0001



68-092



# DUMOR CUSTOM PRODUCTS



68-208-4



64-283-23



65-070



69-126-6PLC



Table 78PL w/Chair 165-20PL

# SUSTAINABILITY COMMITMENT

---

## ► Our Commitment to Sustainability

DuMor recognizes the importance of using recycled material in our entire product line. This reduces solid waste volumes in landfills, helps conserve natural resources, and limits the environmental impacts resulting from the extraction of virgin materials.

## ► Pre- and Post-consumer Recycled Content

We utilize pre- and post-consumer recycled material in all of our products. Pre-consumer material is material diverted from the waste stream during the manufacturing process. Post-consumer material contains waste material generated by households or by commercial, industrial, and institutional facilities in their role as end-users of the product which can no longer be used for its intended purpose. Used milk jugs and old railroad tracks are examples of post-consumer materials used in our products. Please contact your local DuMor Representative for details on the pre- and post-consumer recycled content of our products.

## ► Eco-friendly Material Composition

Our product line is composed of three primary materials: steel, recycled plastic, and sustainably-harvested wood, all of which possess eco-friendly attributes.

**Thermally Modified Red Oak-** Thermally Modified Red Oak utilizes a specialized process where the wood is heated (using steam) to a very high temperature to transform it on a molecular level into a highly-durable outdoor material. Red Oak (*Quercus rubra*) is an abundant, mild to fast growing, sustainable hardwood harvested in North America. One of the most plentiful trees in the U.S., Red Oak accounts for 18% of the U.S. hardwood growing stock. Furthermore, the plentifulness of this species makes the replacement rate impressively low -- it takes 1.04 seconds for the U.S. forests to replace 1 cubic meter, that is faster than most other hardwoods including Maple, White Oak, Ash, and Cottonwood(Poplar) to name a few. Beyond abundance, Red Oak wood is notably a sustainable material due to the species' carbon sequestration potential. Over its growing life it is able to absorb an abundance of carbon removing human-caused emissions of the greenhouse gas carbon dioxide from the earth's atmosphere. When the wood is harvested and used the carbon is not released back into the atmosphere like it would have been if the tree were to rot.

**Sustainably-Harvested Wood-** We make it a priority to purchase only sustainably-harvested wood derived from stringently-regulated timber source locations, including: California, Oregon, Washington, British Columbia, and Pennsylvania.

**Steel-** The majority of steel in our products contains over 80 percent recycled material, most of which is post-consumer. Our primary supplier of steel utilizes the Electric Arc Furnace (EAF) technology, which takes advantage of post-consumer scrap material for major feedstock, unlike blast furnace operations which use mined iron ore as major feedstock.

**Recycled Plastic-** Many of our products feature the PolyTuf Plastic Lumber product. PolyTuf is manufactured using 100% recycled milk jugs (post-consumer high density polyethylene). We also donate our scrap plastic to the manufacturing of new PolyTuf product, further reducing waste stream volumes.

## ► Compatibility with LEED® Rating System

Leadership for Energy and Environmental Design (LEED) is the world's most well-recognized and sought-after green building rating system, created and administered by the United States Green Building Council (USGBC). Achieving LEED certification is contingent upon earning credits, which provide guidelines for the design and construction of high performance, durable, healthful, affordable, and environmentally-sound buildings. Many of our products could help design teams earn LEED credits. Please contact your local Representative to learn more about how DuMor's products can help your project achieve LEED certification.





# NUMERICAL INDEX

## TERMS AND CONDITIONS

Prices are F.O.B. Mifflintown, PA, and are subject to change without notice. Terms are net 30 days from date of invoice to those customers with approved credit. All others, payment with order. Freight charges are as determined and collected by the carrier unless DuMor is instructed to prepay and add to the invoice for the merchandise. All products manufactured by DuMor, inc., are warrantied against defect in materials and/or workmanship and in accordance with our published specifications for a period of five years. In addition to our standard five-year warranty on all products, Dumor also offers a limited twenty-year warranty against structural failure of all steel bench frames or complete steel bench assemblies, table frames, litter receptacle frames, steel planters and all cast iron and aluminum bench supports; limited ten-year warranty against structural failure of recycled plastic. These warranties cover only those items which have been installed and properly maintained according to our detailed instructions. These warranties do not cover claims for items having been subjected to misuse, neglect, accident, or vandalism. Contact your local DuMor Representative for details of the extended warranty program. DuMor is not responsible for loss or damage of products in transit. Any shortages or damage should be noted on the freight bill before signing. In the interest of product improvement, DuMor reserves the right to alter product design, material selection, or construction without notice.

The following benches are protected by U.S. Patent D525- 809: Bench 164, 166 The following benches are protected by U.S. Patent D632- 104: Bench 185, 194 The following benches are protected by U.S. Patent D629- 234: Bench 186, 195

MODEL.....	PAGE
11 Bench .....	65
17 Receptacle .....	15
19 Bench .....	21
21/22 Grill .....	111
24 Grill .....	111
34 Bench .....	67
35 Bench .....	67
37 Bench .....	69
39 Bench .....	68
41 Receptacle .....	79
51 Bench .....	68
56 Bench .....	65
57 Bench .....	22
58 Bench .....	18
59 Bench .....	58
70 Receptacle .....	80
71 Table .....	103
72 Table .....	103
75 Table .....	102
76 Table .....	98
77 Table .....	103
78 Game Table .....	99
80 Ash Urn .....	111
81/82 Bike Rack .....	110
83 Bike Rack .....	109
84 Receptacle .....	72
87 Receptacle .....	74
88 Bench .....	64
89 Receptacle .....	59
91 Bench .....	23
92 Bench .....	19
93 Bench .....	12
94 Bench .....	14
95 Bench .....	13
100 Table .....	102
101 Table .....	96
102 Receptacle .....	19
103 Bench .....	64
104 Bench .....	59
105 Bench .....	65
106 Bench .....	21
107 Receptacle .....	74
114 Planter .....	107
117 Bench .....	16
118 Bench .....	17
119 Bench .....	30
120 Bench .....	31
122 Planter .....	20
124 Receptacle .....	23
125 Bike Rack .....	109
130 Bike Rack .....	109
131 Bench .....	67
138 Bench .....	66
139 Bench .....	66

MODEL.....	PAGE
140 Bench .....	26
143 Bench .....	24
144 Bench .....	27
148 Receptacle .....	29
152 Receptacle .....	25
156 Table .....	103
157 Receptacle .....	73
158 Receptacle .....	72
159 Planter .....	107
160 Bench .....	36
162 Bench .....	28
163 Bench .....	69
164 Bench .....	37
165 Bench .....	38
166 Bench .....	39
168 Bench .....	36
170 Receptacle .....	79
173 Bench .....	37
182 Receptacle .....	75
184 Planter .....	107
185 Bench .....	42
186 Bench .....	43
187 Receptacle .....	43
188 Bike Rack .....	110
190 Bench .....	40
191 Bench .....	41
194 Bench .....	44
195 Bench .....	45
196 Receptacle .....	45
199 Bike Rack .....	110
200/300 Series .....	81
270 Bench .....	50
271 Bench .....	51
272 Receptacle .....	51
282 Bench .....	33
283 Bench .....	33
284 Bench .....	35
285 Bench .....	35
286 Receptacle .....	76
287 Receptacle .....	76
290 Bike Rack .....	108
291 Bike Rack .....	108
292 Bike Rack .....	108
293 Bike Rack .....	108
294 Table .....	94
295 Table .....	95
296 Table .....	90
297 Table .....	91
298 Table .....	93
299 Table .....	92
400-402 Bollards .....	112
423 Ash Urn .....	111
429 Receptacle .....	41
431 Planter .....	107

MODEL.....	PAGE
432 Receptacle .....	75
434 Receptacle .....	78
435 Receptacle .....	78
436 Receptacle .....	77
437 Receptacle .....	77
438 Receptacle .....	73
440 Planter .....	106
441 Planter .....	106
443 Table .....	20
446 Bench .....	32
447 Bench .....	34
448 Table .....	97
451 Bollard .....	112
463 Table .....	101
464 Table .....	100
466 Bike Rack .....	110
470 Bench .....	56
471 Bench .....	56
472 Bench .....	54
473 Bench .....	55
474 Receptacle .....	55
475 Table .....	57
481 Chair .....	89
482 Table .....	89
483 Chair .....	88
484 Table .....	88
485 Table .....	85
490 Bench .....	6
491 Bench .....	7
492 Bench .....	7
493 Bench .....	8
494 Bench .....	9
495 Bench .....	9
496 Bench .....	10
497 Bench .....	11
498 Bench .....	11
500 Bench .....	52
501 Bench .....	53
502 Receptacle .....	53
505 Bench .....	47
506 Bench .....	48
507 Bench .....	49
510 Chair .....	84
511 Stool .....	87
512 Lounge Chair .....	86
513 Bench .....	85
514 Table .....	85
515 Table .....	87
516 Table .....	86
520-528 Bench .....	60-61
Custom Curved Benches .....	114-115
Custom Fabrication .....	116-119
Custom Plaques .....	113
Finishes/Color .....	1

YOUR DUMOR CONSULTANT IS:



DuMor, Inc.  
Mifflintown, PA 17059-0142

**DUMOR.COM**

Phone: 717-436-2106  
Toll-Free: 800-598-4018  
Fax: 717-436-9839  
[sales@dumor.com](mailto:sales@dumor.com)